



# 2023 PHOTO VIDEO

## ABOUT VANGUARD

Vanguard is a global company that designs and manufactures tripods, bags, sporting optics, and accessories. For over 30 years, our drive to disrupt mediocrity and our commitment to innovation has allowed us to create the highest quality products for photographers and outdoor enthusiasts at an affordable price.

Growing into a global leader since its founding in 1986, VANGUARD provides more than our competitors because we are the factory. There are no third-party factories, development or design firms, or other outsourcing of any kind in the process.

Every step of the process is orchestrated by Vanguard's in-house R & D, production, administration, marketing and sales teams in Vanguard-owned and controlled facilities. This enables us to ensure standout product quality, hear customers directly, support the professionals and to provide excellent after sales service. Vanguard is truly a global brand with distribution, sales, marketing and administrative branches in the U.S., Luxembourg, Spain, Germany, United Kingdom, Japan, and China. From these locations, Vanguard team members collaborate closely to ensure a consistent, efficient global operation.

Every day, hundreds of thousands of photographers rely on Vanguard tripods, monopods, ball heads, bags and cases. Tens of thousands of outdoor enthusiasts appreciate Vanguard's premium binoculars, spotting scopes and related goods that bring them closer to nature.



## **VANGUARD**





NGUARD	 2
DUCTS	 4
	 6
IRES	 7

## TRIPODS/MONOPODS/HEADS

ABOUT V/ NEW PRO

FACTORY

**KEY FEATI** 

ALTA PRO 3VRL VIDEO TRIPOD ----- 10 ALTA PRO 3VL VIDEO TRIPOD ----- 12 VEO 3V VIDEO TRIPOD ----- 14 VEO 3+ MACC TRIPOD ----- 16 VEO 3T+ MACC TRAVEL TRIPOD ----- 18 VEO 3 AB/CB TRADITIONAL TRIPOD ----- 20 VED 3 APS/CPS TRADITIONAL TRIPOD ----- 21 VEO 3 AO/CO TRADITIONAL TRIPOD ----- 22 VESTA TRADITIONAL TRIPOD ----- 23 VEO 3T TRADITIONAL TRAVEL TRIPOD ----- 24 VEO 3 GO TRADITIONAL TRAVEL TRIPOD ----- 26 VESTA TB TRADITIONAL TRAVEL TRIPOD ----- 28 VEO 3TT TABLE TRIPOD ----- 30 VESTATTI TABLE TRIPOD ----- 32 VEO 2S MONOPODS ----- 33 ----- 34 VEO BH/VEO BP HEADS VEO PH/VEO PV HEADS VEO MT-12 ----- 36 VEO CSM/VEO TC/VEO TSA ----- 37 **VEO SPH** ----- 38 **VEO CP/VEO CP KIT** ----- 39 VEO QS-360/VEO LVL-60/VEO BT-II ----- 40 **OUICK SHOES** ----- 41

## **BAGS/TROLLEYS/CASES**

ALTA SKY BACKPACK		44
EO ACTIVE CLASSIC BACKPACKS		48
/EO SELECT SHOULDER BAGS / MESSEN	GER BAG/TROLLEY BAG/CLASSIC BACKPACKS	50

## ENTS

EO CITY CROSS BODY BAG / TECH POUCH	56
EO RANGE T BACKPACK	60
EO RANGE SHOULDER BAGS	61
EO ADAPTOR classic backpacks / shoulder bags	62
EO GO SHOULDER BAGS / BACKPACKS	64
EO BIB T PHOTOGRAPHIC BAG IN BAG	65
EO BIB F PHOTOGRAPHIC BAG IN BAG	66
EO BIB DIVIDER S PHOTOGRAPHIC BAG IN BAG	67
IVIDER BAG PHOTOGRAPHIC BAG IN BAG	68
UPREME MULTIFUNCTION HARD CASES	69
ESTA ASPIRE SHOULDER BAGS / BACKPACKS	70
LTA ACCESSORIES	72

## SPORTING OPTICS/ACCESSORIES

NDEAVOR HD SPOTTING SCOPES	76
NDEAVOR XF SPOTTING SCOPES	11
EO HD SPOTTING SCOPES	78
ESTA SPOTTING SCOPES KITS	79
EO HD IV binoculars	80
EO HD 2 binoculars	81
EO HD binoculars	82
EO ED binoculars	83
EO XF binoculars	84
ESTA binoculars	85
ESTA COMPACT BINOCULARS	86
EO HD2 1042M MONOCULAR	87
EO ED 8420M MONOCULAR	88
ESTA 8320M MONOCULAR	89
PTICS ACCESSORIES	90
EO OPTIC GUARD	91

PECIFICATIONS	PAGE
RIPODS/HEADS/ACCESSORY	92
AGS/OPTICS/OPTIC GUARD	94



CHECKOUT 2023 VANGUARD LISTENS TO THE VOICE OF CONSUMERS AND CONTINUOUSLY INVESTS IN RESEARCH AND DEVELOPMENT TO PROVIDE A GREAT EXPERIENCE

VANGUARD LISTENS TO THE EXPERIENCE









14





## FACTORY

## TOTAL PRODUCT OWNERSHIP FROM IDEA TO FINSHED PRODUCT




## UNMATCHED QUALITY CONTROL

Vanguard founders credit our success to the people across the globe who have given supportive and valuable feedback about product features and price points over our three decades. This focus on listening to the market's needs and wants has inspired us to create products with first-of-its-kind features, notable reliability and impressive price points. Notable industry publications and media have consistently recognized our products' quality and performance. We're privileged to have earned top honors from the Technical Image Press Association, the Red Dot Design Award, iF Design Award, the Industrial Designers Association of America, Gmark, and other respected global and local organisations









## **TRIPOD KEY FEATURES**



**EXTENDED HEIGHT** Center column and leg sections fully extended height



adapto

MINIMUM HEIGHT Leg sections in lowest position with center column extended or changed to low angle

sections



The model No. of the head

MAX LOAD The maximum weight the tripod can support



The product's main material



## **SPORTING OPTICS KEY FEATURES**



PREMIUM HOYA ED GLASS

Setting new standards with a rating of more than 95% light transmission, HOYA ED glass launches Vanguard optical design above the competition, ensuring brightness and clarity even in the lowest light.



PREMIUM ED GLASS

Vanguard's Extra-low Dispersion (ED)glass significantly reduces chromatic aberrations, allowing clear, sharp viewing with high contrast.



TRIPOD MOUNTABLE

With the tripod mountable feature, you can easily mount your optics to any tripod or monopod for hands-free stable viewing

### WATERPROOF & FOGPROOF

Vanguard's O-ring seals completely prevent moisture, dust, and debris from entering the optics. Nitrogen purging prevents fogging in extreme weather conditions.

### 2 & 3 STAGE TWIST EYE CUPS



Vanguard's twist-up eye cups come in 2 or 3 stage adjustments, allowing a customized fit for a comfortable viewing experience with or without eveglasses.

STANDARD HEIGHT Center column down (not folded) and leg sections fully extended

LEG DIAMETER The diameter of 1st leg



**FOLDED HEIGHT** Center column and leg sections folded height



**SECTIONS** Number of leg sections



WEIGHT The weight of the product

**CARBON FIBER** The main material is carbon



**ALUMINIUM ALLOY** The main material is aluminum





Exceeding BAK4 prisms in image quality, SK15 minimizes undesirable internal reflections and light rays resulting in increased edge-to-edge brightness and clarity.



### MULTIGUARD® COATINGS

Vanguard's MultiGuard® coatings provide multiple layers of anti-reflective compounds resulting in optimal light transmission and producing a remarkably clear field of view



### **RAPID FOCUS EYEPIECE**

The rapid focus eyepiece can be adjusted in seconds, giving you a clear and crisp view of your target.



### LOCKING DIOPTER RING

The diopter lets users adjust the focus to accommodate differences between each of their eyes. The diopter rings lock so that adjustments don't need to be made before each use.



### LOW LIGHT PERFORMANCE

The fully multicoated lenses improve light transmission for bright and clear images, with greater low-light performance.

**7** 

## Tripods, Monopods & Heads



Since 1986, VANGUARD has been a part of the worldwide photo/video market and launched new products every year. We have been recognized by well-known awards all over the world, have worked with creators from all walks of life, and have sold our products in more than 80 countries. Vanguard's tripod/monopod/head lineup consists of three main families: **The Alta series**, which boasts advanced features geared toward professionals; **the VEO series**, which offers versatility, reliability, and cutting-edge designs for all types of users; and **the Vesta series**, our family of practical equipment designed for newcomers or those who just need a simple solution.



## **VIDEO TRIPOD** ALTA PRO 3VRL

Vanguard's Alta Pro series is back with a new generation of professional quality video kits. The Alta Pro 3VRL series features a removable levelling base with a comfortable hand grip on the underside for ultimate control and flexibility. A choice of video pan heads gives you fluid motion and smooth panning and tilting, along with precise control with dual telescopic handles. Precision engineered, CNC-machined parts mean that your Alta Pro tripod is built to last with easy-twist leg locks that let you quickly deploy your aluminum or carbon-fiber legs. Plus, retractable steel spikes in the feet let you adapt well on any terrain.

## **SERIES HIGHLIGHTS**

- 75mm levelling base +/-15°
- Levelling base is removable
- Max load capacity up to 25kg/55lbs
- Extends up to 1805mm/71.1 inches
- 3-leg angles (23°, 50°, 80°)
- 3/8" threads to attach support arms
- Luxury padded shoulder bag



🐵 ALTA PRO 3VRL 303CVI8

34.02 | 864

71.06 / 1805



• Smooth video pan heads

## TRIPOD HEADS

IEIGHT MM ]	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
80	-	-	55.1   25	5.38   2.44
82	VEO PV-20	QS-67	13.2   6	8.00   3.63
85	VEO PV-18	QS-6IP	33.1   15	7.98   3.62


INIMUM HEIGHT [ INCHES   MM ]	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
7.09 / 180	-	-	55.1   25	4.60   2.09
11.10 / 282	VEO PV-20	QS-67	13.2   6	7.21   3.27
II.22 / 285	VEO PV-18	QS-6IP	33.1   15	7.19   3.26

## **VIDEO TRIPOD** ALTA PRO 3VL

Vanguard's Alta Pro series is back with a new generation of professional quality video tripods. The Alta Pro 3VL series features a nonremovable levelling base for ultimate control and flexibility. A selection of video pan heads gives you fluid motion and smooth panning and tilting, along with precise control with extended handles. Precision-engineered, CNC-machined parts mean that your Alta Pro tripod is built to last. Easy-twist leg locks let you quickly deploy your aluminum or carbon-fiber legs. Plus, retractable steel spikes in the feet let you adapt well on any terrain.

### **SERIES HIGHLIGHTS**

- 65mm levelling base +/-15°
- Levelling base is not removable
- Max load capacity up to 15kg/33lbs
- Extends up to 1800mm/70.9 inches
- 3-leg angles (23°, 50°, 80°)
- Smooth video pan heads
- 3/8" threads to attach support arms
- Luxury padded shoulder bag



ALTA PRO 3VL 263CVI6

32.28 | 820

67.13 / 1705



EIGHT Im 1	LEG Diameter		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]	
30	30	VEO PV-20	QS-67	13.2   6	8.22   3.73	
35	30	VEO PV-18	QS-6IP	33.1   15	8.20   3.72	
5	26	VEO PV-I6	QS-6IP	22.0   10	6.72   3.05	

INIMUM HEIGHT [ INCHES   MM ]	LEG Diameter		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [lbs kg]
11.02 / 280	30	VEO PV-20	QS-67	13.2   6	7.43   3.37
II.22 / 285	30	VEO PV-18	QS-6IP	33.1   15	7.41   3.36
7.28 / 185	26	VEO PV-I6	QS-6IP	22.0   10	5.94   2.69




## VIDEO TRIPOD VEO 3V

VEO 3V video tripods are sturdy supports for your video camera up to 15kg/33lbs. With the option for one long handle or two telescopic handles, the Arca-compatible VEO PV-16 and PV-18 heads offer maximum flexibility, with a smooth, fluid movement to stay on your subject.

## **SERIES HIGHLIGHTS**

- Smooth Arca compatible video heads
- Max load capacity up to 15kg/33lbs
- Extends up to 1805mm/71.1 inches
- 3-leg angles (20°, 50°, 80°)

- Low angle adaptor
- 3/8" threads to attach support arms



VEO 3V 263CVI6

28.74 | 730

70.47 / 1790

57.2 / 1453



- 26mm legs converts to a monopod
- Shoulder bag (30mm is luxury)



MINIMUM HEIGHT [ inches   mm ]	LEG Diameter		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
10.04 / 255	30	VEO PV-18	QS-6IP	33.1   15	6.67   3.03
8.94 / 227	26	VEO PV-16	QS-6IP	22.0   10	5.91   2.68

MINIMUM HEIGHT [ inches   mm ]	LEG Diameter		QUICK SHOE	MAX LOAD [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]
10.04 / 255	30	VEO PV-18	QS-6IP	33.1   15	5.96   2.71
8.94 / 227	26	VEO PV-I6	QS-6IP	22.0   10	5.29   2.40

ӯ 15

## MACC TRIPOD VEO 3+

VEO 3+ is an all-in-one tripod series that is sturdy and trustworthy but truly shines thanks to its outstanding versatility. The easy-tooperate Multi-Angle Central Column (MACC) can be moved 360° in any direction, making it perfect for any style of photography -- enjoy moving from macro to landscape in seconds. You can also use the MACC as a multi-mount when you pair it with the VEO+ MA1 Adaptor (provided). Attach additional equipment to the tripod to enhance any shot. Additionally, all 3+ models include a leg that converts to a monopod, a premium Arca-compatible ball or pan head (depending on model), and removable spiked feet.

### SERIES HIGHLIGHTS

- Multi-Angle Central Column (MACC)
- MACC converts to a Multi-Mount
- Converts to a monopod (except 30mm legs)
- Arca compatible 3-way pan head or ball heads

30.47 | 774

30.71 | 780

26.10 | 663

68.46 | 1739

68.31 | 1735

64.09 | 1628

58.4 / 1484


58.3 / 1480

54.1/1373

VE03+263CBI60S

VE03+263CPS

VE03+263CT











Spiked Feet

MINIMUM HEIGHT [ INCHES   MM ]	leg Diameter		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
8.46   215	30	VEO BH-250S	QS-62V3	55.1   25	6.47   2.94
8.46   215	30	-	-	44.1   20	5.05   2.29
4.92   125	26	VEO BH-160S	QS-62V3	33.1   15	5.50   2.50
8.66   220	26	VEO PH-38S	QS-74	22.0   10	5.96   2.71
4.92   125	26	-	-	33.1   15	4.42   2.01

MINIMUM HEIGHT [ INCHES   MM ]	leg Diameter		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
8.46   215	30	VEO BH-250S	QS-62V3	55.1   25	5.70   2.59
846   215	30	-	-	44.1   20	4.29   1.95
4.92   125	26	VEO BH-160S	QS-62V3	33.1   15	4.79   2.17
8.66   220	26	VEO PH-38S	QS-74	22.0   10	5.12   2.32
4.92   125	26	-	-	33.1   15	3.71   1.68



## MACC TRAVEL TRIPOD VEO 3T+

All the same innovative features as VEO3+ but in a more compact travel size. To deliver maximum stability and a quality that is second to none in all VEO3 tripods, Vanguard uses Advanced Computer Numerical Control (CNC) Engineering Technology, backed up by high quality materials. The precise engineering available through CNC enables Vanguard to source special quality materials, such as solid blocks of aircraft grade aluminum, which are then machined into key load bearing components using a technique such as diamond cutting, with a degree of precision that can't be matched with traditional die casting techniques. These parts then receive leading edge treatments, such as Vanguard's Advanced Anodizing process, which offer the maximum protection available and extends the life of the product. This combination of innovative design, partnered with leading edge manufacturing techniques, deliver an experience that allows any photographer to explore their world with confidence.

Arca-compatible VEO BH-110S; VEO BH-160S Dual axis ball heads for maximum control





### **SERIES HIGHLIGHTS**

- Multi-Angle Central Column (MACC)
- MACC converts to a Multi-Mount
- Leg that converts to a monopod
- Arca compatible 3-way pan head or ball heads
- 3-leg angles (20°, 50°, 80°) • Max load capacity up to 15kg/33lbs • Folds down to 46mm/18 inches • Luxury padded shoulder bag



\*VEO 3T+ 264CB





### **ALUMINUM ALLOY - 4 LEG SECTIONS**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ inches   mm ]	STANDARD HEIGHT [ inches   mm ]	MINIMUM HEIGHT [ INCHES   MM ]	LEG Diameter		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO3T+264AB	18.9   480	61.42   1560	51.6 / 1310	6.69   170	26	VEO BH-160S	QS-62V3	33.1   15	5.41   2.45
VEO3T+234AB	18.11   460	57.48   1460	48.2 / 1225	6.61   168	23	VEO BH-IIOS	QS-62V3	22.0   10	4.83   2.19
VEO3T+264APS	18.9   480	61.30   1557	51.5 / 1307	8.19   208	26	VEO PH-38S	QS-74	22.0   10	5.84   2.65
VEO3T+234APS	18.03   458	57.48   1460	47.9 / 1217	7.99   203	23	VEO PH-36S	QS-74	13.2   6	5.09   2.31
VEO3T+264AT	18.9   480	57.09   1450	47.2 / 1200	6.69   170	26	-	-	33.1   15	4.33   1.96

### **CARBON FIBER - 4 LEG SECTIONS**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ inches   mm ]	STANDARD HEIGHT [ inches   mm ]	MINIMUM HEIGHT [ inches   mm ]	LEG Diameter	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VE03T+264CB	18.9   480	61.42   1560	51.6 / 1310	6.69   170	26	VEO BH-IGOS	QS-62V3	33.1   15	5.01   2.27
VEO3T+234CB	18.11   460	57.48   1460	48.2 / 1225	6.61   168	23	VEO BH-IIOS	QS-62V3	22.0   10	4.36   1.98
VEO3T+264CPS	18.9   480	61.30   1557	51.5 / 1307	8.19   208	26	VEO PH-38S	QS-74	22.0   10	5.34   2.43
VEO3T+234CPS	18.03   458	57.48   1460	47.9 / 1217	7.99   203	23	VEO PH-36S	QS-74	13.2   6	4.66   2.12
VEO3T+264CT	18.9   480	57.09   1450	47.2 / 1200	6.69   170	26	-	-	33.1   15	3.93   1.78







Spiked Feet

## **PERFECT PARTNERS**









## TRADITIONAL TRIPOD VEO 3 AB/CB

VEO 3 tripods are designed for every photographer who is looking for maximum stability and function in more challenging conditions. We've introduced easy-to-clean leg locks to maximize the life of the tripod with easy and efficient maintenance. One leg converts to a monopod, allowing you to pick up and plant down quickly for fast-action shots. Three adjustable leg angles offer numerous options for height and uneven terrain. Additionally, we've added a 3/8" thread to the canopy to attach a support arm. Choose from aluminum or carbon-fiber models with a dual-axis ball head.



• 3 easy set leg angles (20°, 50°, 80°)

• Max load capacity up to 25kg/55.1lbs

- · Leg that converts to a monopod
- Arca compatible Dual axis ball head
- **ALUMINUM ALLOY**

MODEL	FOLDED HT. [ inches   mm ]	EXTENDED HT. [ INCHES   MM ]	STANDARD HT. [INCHES   MM ]	MINIMUM HT. [ inches   mm ]	LEG Diam.	LEG Sect.	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
👐 VEO3 303AB	29.3   745	72.1   1831	58.9 / 1495		30			+	55.1   25	5.70   2.59
VEO3 263AB	29.1   738	70.7   1795	57.7 / 1465		26	3	VEO BH-160S	QS-62V3	33.1   15	4.72   2.14

## **CARBON FIBER**

MODEL	FOLDED HT. [ INCHES   MM ]	EXTENDED HT. [ INCHES   MM ]	STANDARD HT. [ inches   mm ]	MINIMUM HT. [ inches   mm ]	LEG Diam.	LEG SECT.		QUICK SHOE	MAX LOAD [lbs kg]	WEIGHT [ LBS   KG ]
👐 VEO3 303CB	29.3   745	72.1   1831	58.9 / 1495	10.5   266	30	3	VEO BH-250S	QS-62V3	55.1   25	4.93   2.24
VEO3 263CB	29.1   738	70.7   1795	57.7 / 1465	10.4   265	26	3	VEO BH-IGOS	QS-62V3	33.1   15	4.19   1.90





ALTA RC (P73)

## TRADITIONAL TRIPOD VEO 3 APS/CPS

VEO 3 tripods are designed for every photographer who is looking for maximum stability and function in more challenging conditions. We've introduced easy-to-clean leg locks to maximize the life of the tripod with easy and efficient maintenance. One leg converts to a monopod, allowing you to pick up and plant down quickly for fast-action shots. Three adjustable leg angles offer numerous options for height and uneven terrain. Additionally, we've added a 3/8" thread to the canopy to attach a support arm. Choose from aluminum or carbon-fiber models with two-way pan head.



- Leg that converts to a monopod
- Arca compatible 3-way pan head

### **ALUMINUM ALLOY**

MODEL			STANDARD HT. [ inches   mm ]			HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO3 303APS		71.7   1821		10.2   259	 -	VEO PH-38S	QS-74	22.0   10	5.70   2.59
VEO3 263APS			57.6 / 1462				QS-74	22.0   10	5.11   2.32
VEO3 233APS	26.3   668		50.4 / 1280	9.5   240		VEO PH-36S	QS-74	13.2   6	4.32   1.96

### **CARBON FIBER**

MODEL	FOLDED HT. [ INCHES   MM ]	EXTENDED HT. [ INCHES   MM ]	STANDARD HT. [INCHES   MM ]	MINIMUM HT. [ inches   mm ]	LEG DIAM.		HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO3 303CPS	28.9   735	71.7   1821	58.4 / 1484	10.2   259	30	3	VEO PH-38S	QS-74	22.0   10	4.94   2.24
VEO3 263CPS	29.1   738	70.6   1793	57.6 / 1462	10.6   270		3	VEO PH-38S	QS-74	22.0   10	4.52   2.05
VEO3 233CPS	26.3   668	62.4   1585	50.4 / 1280		~~		VEO PH-36S	QS-74	13.2   6	3.88   1.76










• 3 easy set leg angles (20°, 50°, 80°) • Max load capacity up to 10kg/22lbs





## TRADITIONAL TRIPOD VEO 3 AO/CO

The VEO 3 Outdoor Series is designed to deliver a solid base for observing wildlife in the field with the most powerful spotting scopes. The series combines the solid VEO 3 tripod legs that can hold up to 100kg with the central column down, with a 2-way pan handle with all the control in a single handle. Constructed using advanced CNC engineering for maximum precision and quality, these tripods are available in a choice of carbon or aluminum.



- Full sized tripods that extend to 176cm/69.4 inches Full control of the head using telescopic handle
- Leg that converts to a monopod
- Arca compatible 2-way pan head
- 3 easy set leg angles (20°, 50°, 80°)
  - Max load capacity up to 8kg/17.6lbs





VEO TSA DLX L (P37)



MODEL	FOLDED HT. [ INCHES   MM ]	EXTENDED HT. [ INCHES   MM ]	STANDARD HT. [INCHES   MM ]	MINIMUM HT. [ INCHES   MM ]		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VE03 263A0	27.9   708	69.4   1763	56.4 / 1432	9.5   240	VEO PH-28	QS-7IP	17.6   8	5.20   2.36

### **CARBON FIBER - 26MM LEG DIAMETER - 3 LEG SECTIONS**

MODEL	FOLDED HT. [ inches   mm ]	EXTENDED HT. [ inches   mm ]	STANDARD HT. [INCHES   MM ]	MINIMUM HT. [ inches   mm ]	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [lbs kg]
VE03 263C0	27.9   708	69.4   1763	56.4 / 1432	9.5   240	VEO PH-28	QS-7IP	17.6   8	4.63   2.10



VESTA tripods are a series of photo and video supports that are designed for creative image-makers or adventurous sporting optics users. Whether you are taking or partaking in the shot, this series is designed to work wherever life takes you. The VESTA Series is Vanguard's entry-level tripod offering and is designed to perform whether you are using smartphones, mirrorless/CSC/hybrid cameras, small DSLR cameras, video camcorders, or sporting optics such as binoculars and spotting scopes.



- 3/8" to 1/4" 20 Reversible Screw Adaptor
- Converts to a monopod(except for 30mm Diam.)
- 3/8" thread for extra equipment to be added

## ALUMINUM ALLOY

	ALLOI									
MODEL	FOLDED HT. [ inches   mm ]	EXTENDED HT. [ inches   mm ]	STANDARD HT. [INCHES   MM ]	MINIMUM HT. [ inches   mm ]	leg Diam.	LEG Sect.	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
 VESTA 233AP	22.91   582	61.02   1550	48.1 / 1221		23		PH-23	QS-29	7.7   3.5	2.81   1.28
VESTA 203AP	22.50   570	61.02   1550	48.0 / 1220	21.06   535	20		PH-23	QS-29	7.7   3.5	2.44   1.11
VESTA 203AGH	22.50   570			21.65   550				QS-29	7.7   3.5	2.47   1.12
VESTA 204AP	20.50   520	61.02   1550	49.4 / 1255	19.41   493	20	4	PH-23	QS-29	7.7   3.5	2.49   1.13







PH-23 (2-way pan head) Quick shoe: QS-62V3



GH-45 (Dual panning grip head) Quick shoe: QS-62V3

VESTA 460A (P79)





• 20°, 50°, 80° Adjustable Leg Angles • Choice of Aluminum & Carbon legs · Hook to Attach Weight for Extra Stability





## TRADITIONAL TRAVEL TRIPOD VEO 3T

The VEO 3T Series is designed to deliver both portability (with models that fold to less than 16 in/41cm and weigh 3lbs/1.4kg ) and performance (with a maximum height of up to 65 in/166cm and a load capacity of up to 26.5lbs/12kg). The series also includes an innovative Arca-compatible ball head that has the option to attach a pan-handle for greater control, especially when using longer lenses or spotting scopes, and a quick release plate that can be used to attach a smartphone up to 3.35 in/85mm wide with additional accessories. As if that wasn't enough, each tripod has a leg that can convert to a monopod with an all-weather TPU grip


> Arca compatible VEO BP-45T; VEO BP-50T; VEO BP-120T Ball head with removable handle and smartphone compatibility

### **SERIES HIGHLIGHTS**

- Folds to 41cm/16 inches
- Weigh from just 1.4kg/3 lbs
- Max load capacity up to 12kg/26lbs
- Leg that converts to a monopod

VEO BP-120T VEO BP-50T (12kg/26.5lbs load capacity) (8kg/17.6lbs load capacity)





\*VEO 3T 265HCBP & Phone

\*VEO 3T 265HCBP & Cameras

\*VEO 3T 265HCBP & Spotting Scopes


\*VEO 3T 265 HCBP

QS-72T

1



Arca compatible quick release plate for cameras/smartphones





### **ALUMINUM ALLOY**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ inches   mm ]	STANDARD HEIGHT [ inches   mm ]	MINIMUM HEIGHT [ inches   mm ]	LEG DIAMETER	LEG Sections	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]
VEO3T 265HABP	17.3   439	65.4   1660	50.2 / 1275	10.0   255	26	5	VEO BP-I2OT	QS-72T	26.5   12	4.7   2.11
VEO3T 235ABP	16.1   410	61.0   1550	45.5 / 1155	9.4   240	23	5	VEO BP-50T	QS-72T	17.6   8	3.9   1.75
VEO3T 204ABP	15.9   405	55.1   1400	40.9 / 1040	8.9   225	20	4	VEO BP-45T	QS-72T	8.8   4	3.3   1.49

### **CARBON FIBER**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ inches   mm ]	STANDARD HEIGHT [ inches   mm ]	MINIMUM HEIGHT [ inches   mm ]	LEG Diameter	LEG Sections		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO3T265HCBP	17.3   439	65.4   1660	50.2 / 1275	10.0   255	26	5	VEO BP-I2OT	QS-72T	26.5   12	4.2   1.91
VEO3T235CBP	16.1   410	61.0   1550	45.5 / 1155	9.4   240	23	5	VEO BP-50T	QS-72T	17.6   8	3.5   1.60
VE03T204CBP	15.9   405	55.1   1400	40.9 / 1040	8.9   225	20	4	VEO BP-45T	QS-72T	8.8   4	3.0   1.38



• 3 easy set leg angles (20°, 50° & 80°)

• Arca compatible ball heads

• Includes smartphone capability

• Slots for two tripod support arms









VEO QS-360 (P40)




## TRADITIONAL TRAVEL TRIPOD VEO 3GO

When designing VEO 3 GO tripods, Vanguard recognized that many creators don't take a tripod along because the extra bulk and weight are cumbersome. This series is built around compact, lightweight, and travel-friendly features that let you shed your heavy load of gear and focus on your creativity. The feature-rich range is available in aluminum or extremely lightweight carbon fiber, both options ideal for all types of cameras from DSLR to mirrorless/CSC/hybrid cameras and even smart phones. The included smart phone holder and Bluetooth remote turn the VEO 3 GO into a tripod or monopod/selfie stick capable of capturing images remotely with your smartphone.

### **SERIES HIGHLIGHTS**

- Folds to 33cm/13 inches
- Weigh from just 820g/1.8 lbs
- Max load capacity up to 10kg/22lbs
- Leg that converts to a monopod

- Includes smartphone capability
- Hook to attach weight for extra stability





### **ALUMINUM ALLOY**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ inches   mm ]	STANDARD HEIGHT [ inches   mm ]	MINIMUM HEIGHT [ INCHES   MM ]	LEG Diameter	LEG Sections		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO 3GO 265HAB	16.14   410	65.55   1665	49.6 / 1260	9.45   240	26	5	BH-IO2H	QS-60V2	22   10	3.66   1.66
VEO 3GO 235AB	12.99   330	53.54   1360	41.7 / 1060	7.87   200	23	5	T-50	QS-65	5	2.70   1.23
VEO 3GO 2O4AB	13.63   345	51.57   1310	39.8 / 1010	12.99   330	20	4	T-45	QS-65	6.6   3	2.08   0.95

### **CARBON FIBER**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ inches   mm ]	STANDARD HEIGHT [ inches   mm ]	MINIMUM HEIGHT [ INCHES   MM ]	LEG Diameter	LEG Sections		QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO 3GO 265HCB	16.14   410	65.55   1665	49.6 / 1260	9.45   240	26	5	BH-IO2H	QS-60V2	22   10	3.12   1.42
VEO 3GO 235CB	12.99   330	53.54   1360	41.7 / 1060	7.87   200	23	5	T-50	QS-65	5	2.34   1.07
VEO 3GO 204CB	13.63   345	51.57   1310	39.8 / 1010	12.99   330	20	4	T-45	QS-65	6.6   3	1.80   0.82

smartphone holder

VEO PA-10



- 3 easy set leg angles (20°, 50° & 80°)
- Arca compatible ball heads



Low angle adapter Spiked Feet except for 20mm Diam.





## TRADITIONAL TRAVEL TRIPOD VESTA TB

VESTA TB is a cost-effective tripod with both a simple design and advanced features. The aluminum construction is lightweight, and the inverted 4- or 5-section legs fold up for compact carrying. The legs configure to 3 angles with twist-locks for quick and easy opening and closing. A two-section center column helps increase stability and height. The sturdy ball head has large ergonomic knobs, and it includes an Arca Swiss-compatible quick-release shoe (QS-64). Shoot low-angle photos by reversing the center column.



- 3/8" to 1/4" -20 Reversible Screw Adaptor
- Hidden hex wrench storage.
- Dual Center Column for increased stability

## ALUMINUM ALLOY


MODEL	FOLDED HT. [ inches   mm ]	EXTENDED HT. [ INCHES   MM ]	STANDARD HT. [ INCHES   MM ]	MINIMUM HT. [ INCHES   MM ]	LEG Diam.	LEG Sect.		QUICK SHOE	MAX LOAD [lbs kg]	WEIGHT [LBS   KG ]
VESTA TB235AB	14.8   375	56.25   1430	48.6 / 1235	10.63   270	23	5	T-51	QS-65	9.9   4.5	2.65   1.20
VESTA TB204AB	14.8   375	51.18   1300	41.5 / 1055	12.01   305	20	4	T-46	QS-65	6.6   3	2.06   0.93

### **CARBON FIBER**

MODEL	FOLDED HT. [ INCHES   MM ]	EXTENDED HT. [ INCHES   MM ]	STANDARD HT. [ inches   mm ]	MINIMUM HT. [ INCHES   MM ]	LEG Diam.	LEG Sect.		QUICK SHOE	MAX LOAD [lbs kg]	WEIGHT [ LBS   KG ]
VESTA TB235CB	14.8   375	56.25   1430	48.6 / 1235	10.63   270	23	5	T-51	QS-65	9.9   4.5	2.27   1.03
VESTA TB204CB	14.8   375	51.18   1300	41.5 / 1055	12.01   305	20	4	T-46	QS-65	6.6   3	1.77   0.80



- Choice of Aluminum & Carbon legs
- Patented design with convenient accessories.




VEO PA-10

VESTA ASPIRE 41 (P70)



## TABLE TRIPOD VEO 3TT

The VEO 3TT Series is designed for photographers, vloggers and smartphonographers who are looking for maximum portability and functionality, where even a travel tripod is too big. Folding to as little as 225mm/8.9 inches and weighing as little as 980g/2.15lbs they offer unparalleled portability. Despite this, they include an Arca compatible ball head that includes a removable handle for maximum control, and smartphone capability (for smartphones up to 85mm/3.35 inches).



### **SERIES HIGHLIGHTS**

- Folds to as little as 225mm/8.9 inches
- Weighs from just 980g/2.15 lbs
- Max load capacity up to 8kg/17.6lbs

FOLDED HEIGH [INCHES | MM ]

9.7 | 245

VEO3TT 233CBP


[ INCHES | MM ]

22.05 | 560

19.1 / 486

• Leg that converts to a monopod

- 3 easy set leg angles (20°, 50° & 80°)
- Includes smartphone capability



Arca compatible quick release plate for cameras/smartphones Bluetooth remote control for IOS and Android smartphones





- Arca compatible ball heads
- Slots for two tripod support arms



MINIMUM HEIGHT [ inches   mm ]	BLAU BERN		QUICK SHOE	MAX LOAD [ LBS   KG ]	<b>WEIGHT</b> [lbs kg]
8.66   220	23	VEO BP-50T	QS-72T	17.6   8	2.56   1.16
7.87   200	20	VEO BP-45T	QS-72T	8.8   4	2.15   0.98

MINIMUM HEIGHT [ inches   mm ]	LEG Diameter		QUICK SHOE	MAX LOAD [lbs kg]	<b>WEIGHT</b> [lbs kg]
8.66   220	23	VEO BP-50T	QS-72T	17.6   8	2.43   1.10

ӯ 31

## 🜷 VESTA

## TABLE TRIPOD VESTA TTI

VESTA TT1 is a strong aluminum tabletop tripod that is designed to hold phones (smartphone adaptor and Bluetooth Remote included) as well as cameras up to 2 Kg/4.4lbs. VESTA TT has a rapid one-step leg deployment system that is unique to this category. It can be used as a stabilizer when folded, and is perfect for getting that great time-lapse or long-exposure shot! VESTA TT is compatible with a range of brands including Canon, Sony, Nikon, iPhone, and Android.












Smartphone Adapter up to 3.4in/8.7cm



AVAILABLE IN 4 COLOR OPTIONS

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [Inches   mm ]	HEAD	MAX LOAD [ LBS   Kg ]	WEIGHT [lbs kg]
VESTA TTI	6.9   175	3.9   100	BALL HEAD	44   2	0.34   0.15





• Folds to 52cm/21 inches

MONOPODS

**VEO 2S** 

- Weigh from just 800g/1.75 lbs
- Max load capacity up to 15kg/33lbs

### **ALUMINUM ALLOY - 4 LEG SECTIONS**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ INCHES   MM ]	LEG DIAMETER	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VE02SAM-234TBP50T	23.78   604	65.12   1654	23	VEO BP-50T	QS-72T	13.2   6	2.81   1.28
VE02SAM-264TR	21.50   545	64.13   1630	26	-	-	33.1   15	1.96   0.89
VEO2SAM-234TR	20.50   520	61.00   1550	23	-	-	22   10	1.77   0.81

### **CARBON FIBER - 4 LEG SECTIONS**

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ INCHES   MM ]	LEG Diameter	HEAD	QUICK SHOE	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VE02SCM-264TBPI20T	24.57   624	68.07   1729	26	VEO BP-120T	QS-72T	26.5   12	2.97   1.35
VE02SCM-264TR	21.50   545	64.13   1630	26	-	-	33.1   15	1.75   0.80



VEO 2S is a collection of monopods designed for travel. This lightweight series works with camera loads up to 6kg/13.2lbs, and this nextgen monopod does not sacrifice quality or compromise stability. The advance-engineered twist leg locks ensure easy, fast deployment and height adjustments with no sacrifices in stability - while still allowing you to get the shot with your camera or smartphone.



Bluetooth remote control for IOS and Android smartphones











VEO QS-360 (P39)





• Arca compatible ball heads with Kit Models • 4-in-1 Quick shoe QS-72T with Kit Models Smartphone Adapter Included with All TR Models



### HEAD **VEO BH | DUAL AXIS BALL HEAD**

Vanguard presents three of its lates, most innovative Arca-compatible ball heads: VEO BH-110S, VEO BH-160S, and VEO BH-250S. These introduce the new Dual Axis Design, which includes a second panoramic axis on the top plate for maximum control and precision when framing your shot. With a maximum load capacity of up to 25kg/55lbs on a lightweight body, easy-grip locking knobs, and a new adjustable knob mechanism, these heads deliver strong, smooth, and precise movements for the most discerning of photographers.



### VEO BH-250S

MODEL	LENGTH [INCHES   MM ]	WIDTH [INCHES   MM ]	HEIGHT [ INCHES   MM ]	HEAD BASE [ inches   MM ]	ouick Shoe	FRONTAL TILT °	LATERAL TILT °		MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO BH-250S	-	-	4.76   121	2.28   58	QS-62V3	-	-91°~35°	360	55   25	1.42   0.64
VEO BH-I6OS	-	-	4.37   111	2.28   58	QS-62V3	-	-91°~35°	360	33   15	1.07   0.49
VEO BH-IIOS	-	-	4.13   105	1.97   50	QS-62V3	-	-91°~35°	360	22   10	0.94   0.43



### **VEO BP | BALL HEAD WITH PAN HANDLE FOR CAMERAS/SMARTPHONES** HEAD

Vanguard presents three innovative new Arca-compatible ball heads - VEO BP-45T, VEO BP-50T, and VEO BP-120T. These feature the quick-action removeable pan handle and the QS-72T quick shoe plate, which takes smartphone photography to a new level. With a maximum load capacity of up to 12kg/26.5lbs on a lightweight body, easy-grip locking knobs, and a new adjustable knob mechanism, these heads deliver strong, smooth, and precise movements for the most discerning of photographers.



### HEAD **VEO PH | 3-WAY PAN HEAD WITH ROTATING TOP HANDLE**


The VEO PH series is perfect for any photographer or videographer on the go and features an independent panoramic knob and bubble level. Additionally, nature lovers can mount a spotting scope or binoculars (with the BA-185 adapter, sold separately) and pan smoothly to get a clear look at some birds or other wildlife.



MODEL	LENGTH [Inches   mm]	WIDTH [Inches   mm ]	HEIGHT [Inches   mm]	HEAD BASE [Inches   MM ]	ouick Shoe	FRONTAL TILT °	lateral Tilt°		MAX LOAD [ LBS   KG ]	WEIGHT [lbs kg]
VEO PH-38S	8.27   210	7.09   180	4.41   112	2.28   58	QS-74	-91°~30°	-91°~30°	360°	22   10	1.42   0.64
 VEO PH-36S	8.07   205	6.97   177	4.37   111	1.97   50	QS-74	-91°~30°	-91°~30°	360°	13.2   6	1.25   0.57

### VEO PV | FLUID VIDEO PAN HEAD HEAD

VEO PV video heads have 360-degree, smooth-panning and impressive tilting angles, perfect for any videographer who demands meticulous positioning for the perfect shoot with a video camera or a pro DSLR camera. In the VEO PV-20 there is a spring counterbalance that helps operate heavy equipment with greater ease and precision, while the Arca compatible VEO PV-18 is CNC machined for a maximum load capacity of 15kg/33lbs.



MODEL				HEAD BASE [ inches   MM ]	quick Shoe		LATER/ TILT
🐠 VEO PV-20	14.37   365	5.71   145	4.02   102	2.28   58	QS-67	-60°~90°	-
VEO PV-18	15.94   405	6.02   153	4.13   105	2.28   58	QS-6IP	-45°~90°	-





VEO PH-36S



5 👽



## TRIPOD ACCESSORY VEO MT-12

The newly designed Vanguard VEO MT-12 is the upgraded version of Vanguard's previous Multi-Mount 6. Ideal for mounting up to 4 pieces of gear, it features sturdy aluminum alloy material, is 25.6in/650mm long, has a large center locking ring, two safety pins, length adjustment bar and comes with two VEO+MA1s. Well thought out and built, If you are looking to mount multiple pieces of gear on a tripod, then look no further -- the VEO MT-12 is your ideal solution.



							INCHES MM	
VEO MT-12	-	-	-	25.6   650	2.26   1.03	22.04   10.00	2.28   58	ALUMINUM ALLOY
VEO+MAI	2.3   58	3.3   83	2.7   68	-	0.46   0.21	-	-	ALUMINUM ALLOY





With the ever growing demand for flexibility, Vanguard is proud to introduce the VEO Creative Tripod Accessories Series that is designed to turn your tripod into a multi-functional tool for any photography style.




### VEO CSM - Cold Shoe Mounts

A versatile range of cold shoe mounts that allow you to attach and aim up to three accessories (LED lights, microphones, etc.) to your camera and tripod.





VEO CSM - Attach an accessory with 1/4" thread to a cold shoe mount





10601

VEO CSMM2 - Attach two accessories to an extending rail to allow you to fit wider accessories

VEO CSMM3 - Attach and aim three accessories

## VEO TC - Tablet Connector

Solid aluminium design with Arca-compatible or 1/4" thread base, easy twist lock system and cold shoe seat on the top. This is a versatile tablet connector that can be used on a tripod, head, support arm or standalone. Fits tablets up to 220cm/12inches wide





VEOT VEO VEO TS/ VEO TS

> VEO CS VEO CSN VEO CSM VEO CSI VEO T



### VEO TSA – Tripod Support Arms

Attach a tripod support arm to your tripod (or VEO CSM3) to add additional accessories.



VEO TSA - Simple tripod support arms with 1/4" thread and 3/8" adaptor with 2kg load capacity. Small (S) or Medium (M)





VEO TSA DLX - Advanced tripod support arms with ball joints at either end for maximum versatility in positioning your device, with 3kg load capacity. Include a choice of 1/4" or 3/8" fittings at either end to fit any suitable tripod, but for maximum stability when used with the majority of VEO tripods it includes advanced non-slip bayonet adaptor that prevent the VEO TSA DLX coming loose. Medium (M) or Large (L)

ODEL	STANDARD HEIGHT [ INCHES   MM ]	FOLDED HEIGHT [ inches   mm ]	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   G ]
) TSA S	4.53   II5	2.5   63.5	4.41   2	0.22   98.5
I TSA M	5.98   152	3.0   76.5	4.41   2	0.23   106
SA DLX M	7.09   180	4.45   113	6.61   3	0.48   217
SA DLX L	1142   290	6.57   167	6.61   3	0.59   267

DEL	LENGTH [ INCHES   MM ]	WIDTH [ INCHES   MM ]	HEIGHT [ INCHES   MM ]	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   G ]
CSM	-	0.97   24.7	1.1   27.9	6.61   3	0.06   25
SM DLX	-	1.22   31	2.24   57	441   2	0.19   86.5
SMM2	4.72   120	1.75   44.5	2.0   50.8	441   2	0.41   185
SMM3	3.44   87.4	0.87   22	1.14   29	4.41   2	0.19   86
TC M	2.13   54	1.85   47	6.02   153	2.2   1	0.66   298



## **ACCESSORY** VEO SPH | SMARTPHONE HOLDER

The VEO SPH is a versatile, multi-angle smartphone holder that can fit any smartphone between 60-90mm/2.4-3.5 inches wide, weighs just 180g/0.4lbs and is small enough to slip into a pocket. It includes a ball joint that allows the camera to be rotated 360° to choose between landscape or portrait (or to get your smartphone level on uneven ground) and tilts +/-36°, making it perfect to attach directly to the top of any monopod (or tripod) in place of a head.





MODEL	LENGTH	WIDTH	HEIGHT	MAX LOAD	WEIGHT	SIZE RANGE
	[ inches   mm ]	[ inches   mm ]	[ inches   mm ]	[lbs kg]	[lbs g]	[ inches   mm ]
VEO SPH	3.6   91.0	3.1   78	4.3   110	I.I   O.5	0.4   181	2.2-3.5   57-90



## ACCESSORY VEO CP | CLAMP

Attach your camera, smartphone or accessory to the surfaces around you, wherever you are, to get that perfect shot.



VEO CP-46 FITS ALMOST ANY OBJECT UP TO 46MM, VEO CP-65 UP TO 65MM

## **ACCESSORY** VEO CP KIT | CREATIVE PHOTO KIT

VEO CP Kits are designed to help you take your smartphonography to another level and include a VEO CP Clamp, a VEO TSA DLX Tripod Support Arm and VEO SPH Smartphone Holder. This allows you to attach your smartphone to almost any object around you up to 65mm wide, offering more shooting angles and enabling you to capture more wonderful moments.

## VEO CP-46 KIT







VEO CP-46 46 mm Clamp

**VEO SPH** Smartphone Holder

## VEO CP-65 KIT






**VEO SPH** 65 mm Clamp Smartphone Holder









### VEO TSA DLX L Support Arm L

MODEL	LENGTH [ INCHES   MM ]	WIDTH [ INCHES   MM ]	HEIGHT [ inches   MM ]	MAX LOAD [ LBS   KG ]	WEIGHT [lbs g]	SIZE RANGE [ INCHES   MM ]				
EO CP-65	3.3   82.5	0.8   20	3.5   89.0	5.5   2.5	0.4   159	2.6   65				
EO CP-46	2.7   68.0	0.8   20	3.3   82.5	3.3   1.5	0.3   132	1.8   46				
PHONE HOLDER	VEO SPH(P38)									
PORT ARM M			VEO TSA DI	X M(P37)						
PPORT ARM L	L VEO TSA DLX L(P37)									
						_				





## ACCESSORY VEO QS-360

VEO QS-360 is designed to turn any Arca-compatible head into a dual axis head for maximum control. It's also perfect for allowing you use both a long lens and an L-bracket on an Arca compatible 3-way pan head, or turning your 2-way pan head into a 3-way pan head.







\*VEO QS-360

New "Stop System" Anti-rotation Pin



• Arca compatible top and base • 360° quick shoe • 1/4" camera screw & pin with D-ring

MODEL	<b>LENGTH</b> [ inches   mm ]	WIDTH [ INCHES   MM ]	HEIGHT [ inches   mm ]	QUICK SHOE				MAX LOAD [lbs kg]	WEIGHT [LBS   KG ]
VEO QS-360	4.1   105	2.2   55	1.6   40	QS-76/QS-62V3	-	-	360	22   10	0.5   0.24

## ACCESSORY VEO LVL-60

Vanguard's new VEO LVL-60 can be attached to any tripod to and can be adjusted +/-15° to allow you to get your tripod head perfectly level in seconds without having to fiddle around with the tripod legs. This allows you to keep your level throughout your shoot, without the need to constantly correct it as you pan or reframe your shot.





Adjusts +/-15°



Fits any tripod/head

	MODEL	LENGTH [ inches   mm ]	BOWL DIAMETER [ inches   mm ]	HEIGHT [ inches   mm ]	HEAD BASE [ inches   mm ]				MAX LOAD [lbs kg]	WEIGHT [ LBS   KG ]
NEW	VEO LVL-60	3.51   90	2.56   65	1.97   50	2.28   58	5°~- 5°	15°~-15°	360	33   15	0.7   0.32

## ACCESSORY VEO BT-11

A Bluetooth remote to pair with your smartphone for hands-free shutter triggering. Works with iOS and Android devices. Includes CR2032 battery (always keep out of reach of children)






QS quick release plates make attaching and removing your camera a breeze, securely keeping your gear in position

1-1-	QS- 72T		QS
	VEO BP-120T HEAD [VEO 3T 265HABP] [VEO 3T 265HCBP] [VEO 2SCM-264TBP120T] VEO BP-50T HEAD [VEO 3T 235ABP] [VEO 3T 235CBP] [VEO 3TT 233ABP] [VEO 3TT 233CBP]	00	VEO P [VEO 3 [VEO 3 [VEO 3 [VEO 3 [VEO 3 [VEO 3 [VEO 3 [VEO 3
<ul> <li>Smartphone holder</li> <li>1/4" camera screw &amp; pin with D-ring</li> <li>Arca compatible</li> </ul>	[VEO 2SAM-234TBP50T] VEO BP-45T HEAD [VEO 3T 204ABP/CBP] [VEO 3TT 203ABP]	<ul> <li>1/4" camera screw &amp; pin with D-ring</li> <li>Arca compatible</li> </ul>	VEO P [VEO 3 [VEO 3 [VEO 3 [VEO 3
	QS- 71P		QS VEO 2 [VEO 3
<ul> <li>1/4" camera screw &amp; pin with D-ring</li> <li>Arca compatible</li> </ul>	[VEO 3 263 AO] [VEO 3 263 CO]		[VEO T-50 [VEO [VEO T-45 [VEO [VEO T-51
		• 1/4" camera screw & pin with D-ring	[VEST/ [VEST/ T-46
	<sup>QS-</sup> 67	Arca compatible	(VEST) (VEST)
<ul> <li>1/4" camera screw in a removable slot &amp; pin(coin to tighten)</li> <li>Arca compatible</li> </ul>	VEO PV-20 HEAD [ALTA PRO 3VRL 303AV20] [ALTA PRO 3VRL 303CV20] [ALTA PRO 3VL 303AV20] [ALTA PRO 3VL 303CV20]		
			QS
Î	QS- 61P ALTA PH-114V HEAD [ALTA PRO 2 263AV] VEO PV-18 HEAD [ALTA PRO 3VRL 303AV18] [ALTA PRO 3VRL 303CV18] [ALTA PRO 3VL 303CV18] [ALTA PRO 3VL 303CV18] [VEO 3V 303 AV18] [VEO 3V 303 CV18] [VEO 3V 303 CV18]		VEO B [VEO 3 [VEO 3
• 1/4" camera screw in a removable slot & pin(coin to tighten)	VEO PV-16 HEAD [ALTA PRO 3VL 263AV16] [ALTA PRO 3VL 263CV16] [VEO 3V 263AV16]	• 1/4" camera screw & pin with D-ring	VEO E [VEO C [VEO C
<ul> <li>Arca compatible</li> </ul>	[VEO 3V 263AV16] [VEO 3V 263CV16]	<ul> <li>Arca compatible</li> </ul>	VEOC

[VEO 3V 263CV16]



pin(coin to tighten)





**()** 41

1986, VANGUARD has been a part of the worldwide photo/video market and launched new products every year. We have been recognized by well-known awards all over the world, have worked with creators from all walks of life, and have sold our products in more than 80 countries.

ΞO

Vanguard's large selection of camera trolley bags, backpacks, and messenger bags consists of three main families: The Alta series, which boasts advanced features geared toward professionals; the VEO series, which offers versatility, reliability, and cutting-edge designs for all types of users; and the Vesta series, our family of practical equipment designed for newcomers or those who just need a simple solution. With hundreds of different color and style choices, we are sure to have the right bag to carry your gear and configure it to your liking.





## **PROFESSIONAL BACKPACKS FOR LONG LENSES**

Vanguard's design team created a new standard in adaptable carrying and working solutions, enabling a simple transition from 100% gear to 100% personal and anywhere in between." to "The Alta Sky 66 is designed to carry an super telephoto lens up to 600mm (f/4.0) & some 800mm (f/5.6) attached to a Pro DSLR with a full sized tripod, while the Alta Sky 68 can also carry up to seven additional lenses/ bodies (or personal gear) with a 16" laptop.



## SERIES HIGHLIGHTS



'Never-Tire' Carrying Experience



- Designed to carry up to an 800mm lens with pro-body attached
- Alta Sky 68 can also carry up to 7 additional lenses (or personal kit)
- Carry a full-size tripod centrally for maximum comfort over extended distances

MODEL	INTERIOR DIMENSIONS (Inches   MM )	EXTERIOR DIMENSIONS [ inches   mm ]	MAX LOAD [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	TABLET POCKET	LITER SIZE
ALTA SKY 68	13.4 X 7.1 X 22.9   340 X 180 X 580	14.1 X 9 X 23.4   360 X 230 X 595	35.3   16.0	6.5   2.9	II" TABLET   16" LAPTOP	YES	36
ALTA SKY 66	10.2 X 9.4 X 24   260 X 240 X 610	II.3 X II.3 X 24.3   290 X 290 X 620	23.1   10.5	5.5   2.5	II" TABLET	YES	30

ALTA SKY





Stay Steady

- Carry up to a 16" laptop and multiple accessories
- Well padded for maximum protection across the most rugged terrain
- Advanced harness system to carry heavy loads in comfort



## **PROFESSIONAL BACKPACKS**

Alta Sky is a series of dynamic backpacks and daypacks with a new take on what versatility can offer a professional photographer. Vanguard's design team created a new standard in adaptable carrying and working solutions, enabling a simple transition from 100% gear to 100% personal and anywhere in between.





red<mark>dot</mark> award winner







\*ALTA SKY 45D



\*ALTA SKY 53

**ALTA SKY** 



ALTA SKY 53



<sup>&#</sup>x27;Never-Tire' Carrying Experience





ALTA SKY 45D/51D





• Ultimate versatility - 100% gear to 100% personal and anywhere in between

Quick Access

- Multi-access quick-action full rear opening and top access | + Side access in daypacks
- Drone action dual use/dual color dividers for drone set-up\*

MODEL	INTERIOR DIMENSIONS [ inches   mm ]	EXTERIOR DIMENSIONS (Inches   MM )	MAX LOAD [ lbs   kg ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	TABLET POCKET	LITER SIZE
ALTA SKY 53	12.6 X 7.8 X 20.8   320 X 200 X 530	15 X 10.6 X 22.8   380 X 270 X 580	35.2   16.0	6.2   2.8	17" LAPTOP	YES	34
ALTA SKY 51D	12.6 X 7.8 X 20   320 X 200 X 510	14.6 X 10.2 X 22.2   370 X 260 X 565	29.7   13.5	6.4   2.9	15" LAPTOP	YES	32
ALTA SKY 45D	10.2 X 7.5 X 17.7   260 X 190 X 450	12.2 X 9 X 19.5   310 X 230 X 495	19.8   9.0	4.8   2.2	13"LAPTOP	YES	22









Stay Steady

- Business oriented Carry up to a 17" laptop
- Advanced harness system to carry a full-sized tripod and heavy load in comfort
- No fumbling bright colored interior makes finding things easy



## **VEO ACTIVE** ADVENTURE BACKPACKS

VEO ACTIVE bags are a sure fit for photographers on the go, as well as hikers, campers, birdwatchers - practically any outdoor adventurer. Dual-laminated 840D nylon ripstop materials protect your bag from the elements, as well as the wear and tear brought on by the natural world, while carrying a large load of camera bodies and lenses (or camping gear) in comfort over longer distances.











Reinforced and designed the to fit the shape of your back.





Waist cushion and Aluminum alloy frame to fit torso

- Waterproof material with rain cover for wettest days
- Expanding pockets on shoulder strap and waist belt

## COLOR :

MODEL	INTERIOR DIMENSIONS Linghes   MM ]	EXTERIOR DIMENSIONS [ inches   mm ]	<b>max load</b> [ lbs   kg ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	LITER SIZE
VEO ACTIVE 53	12.2 X 7.1 X 20.9   310 X 180 X 530	12.9 X 9.8 X 21.7   330 X 250 X 550	44.1   20	6.52   2.96	IO" TABLET   I6" LAPTOP	45
VEO ACTIVE 49	12.2 X 7.1 X 19.3   310 X 180 X 490	12.9 X 9.8 X 20.1   330 X 250 X 510	35.3   16	6.22   2.82	IO" TABLET   15" LAPTOP	35
VEO ACTIVE 46	10.6 X 6.3 X 18.1   270 X 160 X 460	11.4 X 9.1 X 18.7   290 X 230 X 475	24.2   11	5.60   2.54	IO" TABLET   14" LAPTOP	25
VEO ACTIVE 42M	9.8 X 5.9 X 17.7   250 X 150 X 420	10.6 X 7.5 X 17.3   270 X 190 X 440	18.7   8.5	4.32   1.96	IO" TABLET   13" LAPTOP	17





- Sealed pocket for up to a 2-litre water pouch
- Includes USB charger port to allow charging on the go
- Carry up to a 16" laptop
- Full sized tripod holder



## **VEO SELECT** TROLLEY BAGS THAT CONVERT TO BACKPACKS/SHOULDER BAGS

Vanguard's innovative VEO SELECT Trolley Bag series comes in three sizes and two colors, all designed to be airline carry-on friendly\*. These are stylish and durable bags that are designed for pro-level gear and up to two tripods. On the go, all models include a sturdy double handle, come with a choice of two/four wheels, and convert to either a shoulder bag/backpack to cover more uneven ground.





Lock

(except VEO Select 42T)









\*VEO SELECT 55BT \*VEO SELECT 59T Two Wheels Four Wheels



VEO Select 42T'S Shoulder Strap

VEO Select 55BT



Inner Box (VEO Select 55BT/58T)



Top Quick Access (VEO Select 42T)



· High quality scratch and water resistant material (with rain cover for wettest days) and sturdy double handle

- Designed to meet IATA airline carry-on luggage guidelines (2020)\*
- All models are designed to carry pro-level gear, including a tripod and up to a 17" laptop

### COLOR : INTERIOR DIMENSIONS [INCHES | MM] EXTERIOR DIMENSIO VEO SELECT 59T 13 X 6.8 X 18.5 | 330 X 170 X 470 14.2 X 8.7 X 21.5 | 360 X 220 X 545 VEO SELECT 58T 11.8 X 6.9 X 18.5 | 300 X 175 X 470 14.2 X 10.2 X 24 | 360 X 260 X 610 VEO SELECT 55BT 12.3 X 6.3 X 17.5 | 310 X 160 X 445 14.2 X 8.2 X 22.1 | 360 X 220 X 560 VEO SELECT 42T I4.6 X 6.3 X I3 | 370 X I60 X 330 16.5 X 9.9 X 17.9 | 420 X 250 X 455

\*Excludes VEO Select 58T. Airline carry-on regulations are subject to change and vary by airline and country. To mee laptops, tripod holders, and attachments. Call your airline or visit its website for current size and weight restrictions ts. vou mav need to i





50 ⊽ www.vanguardworld.com

Converts to backnack



VEO Select 58T VEO Select 59T includes similar harness

Stay Steady

## **SERIES HIGHLIGHTS**

- All models convert to either a shoulder bag or a backpack to cover uneven ground
- All bags double as luggage; simply remove the interior divider compartment

MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]	FITS DEVICE	LITER SIZE
33.1   15	9.22   4.18	II" TABLET   17"LAPTOP	26
33.1   15	11.24   5.10	II" TABLET   16"LAPTOP	26
27.6   12.5	9.52   4.32	II" TABLET   15"LAPTOP	22
26.5   12	8.55   3.88	II" TABLET   15"LAPTOP	20
intry To most the require	monts you may need to	o romovo	



### **VEO SELECT CLASSIC BACKPACKS**

VEO Select 45BFM and 48BF are classic backpacks that fit a camera with up to 7-8 lenses and a 15" laptop.



\*VEO SELECT 45BFM



\*VEO SELECT 48BF

\*VEO SELECT 45BFM





Side Quick Action



EXTERIOR DIMENSIO [INCHES | MM ]

II.8 X 6.5 X I8.9 | 300 X I65 X 480 | 3.3 X 9.6 X 20.5 | 335 X 245 X 520 | 25.57 | II.6 | 4.28 | 1.94

Versatile





## SERIES HIGHLIGHTS

- Incognito no one needs to know this is a camera bag
  - Safe storage secure rear pocket for travel document and wallet
  - Set-up versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user

II"TABLET |

15" LAPTOR

24

15





VEO Select 37BRM and 46BR measure just 28cm wide, but they don't compromise on how much kit they can hold. With fast side access on either side, these bags are perfect for left- or right-handed photographers.







\*VEO SELECT 46BR

## **VEO SELECT BACKPACKS/SHOULDER BAGS**

VEO Select 41, 45M and 49 are slim and stylish backpacks with a top section for personal kit, and they convert to a shoulder bag in seconds.



\*VEO SELECT 49

• Always supported- VEO tripod carry-along

• Double connectivity- extra strap connection

integrated solutions inside and outside

up front or on the bottom

COLOR :

• Keep dry - total coverage rain cover

## SERIES HIGHLIGHTS

- a camera bag
  - travel document and wallet

### VEO SELECT46BR 9.9 X 5.9 X 18.1 | 250 X 150 X 460 II.0 X 8.3 X 18.7 | 280 X 210 X 475 19.8 | 9 VEO SELECT37BRM 10.0 X 4 .5 X 14.6 | 255 X 115 X 370 11.0 X 6.9 X 15.4 | 280 X 175 X 390 9.3 | VEO SELECT 49 II.3 X 4.9 X I9.2 | 290 X I25 X 490 13.3 X 8.1 X 19.9 | 340 X 205 X 505 20.28 | 9 VEO SELECT 45M 10.9 X 44 X 17.7 | 275 X 110 X 450 | 12.6 X 7.5 X 18.1 | 320 X 190 X 460 17.19 7 10.9 X 4.9 X 16.1 | 275 X 125 X 410 12.6 X 8.1 X 16.5 | 320 X 205 X 420 VEO SELECT 4I 11.9 | 5

- Always supported- VEO tripod carry-along integrated solutions inside and outside
- Double connectivity- extra strap connection up front or on the bottom

NTERIOR DIMENSIONS [INCHES | MM]

- Keep dry total coverage rain cover
- COLOR :

VEO SELECT 48BF



VEO SELECT 45BFM I 0.6 X 5.1 X 16.9 270 X 130 X 430 II.8 X 8.3 X 18.3 300 X 210 X 465 I9.18 8.7 3.26 148 II"TABLET





• Incognito - no one needs to know this is

• Safe storage - secure rear pocket for

• Set-up versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user

AD G J	WEIGHT [ LBS   KG ]	FITS DEVICE	LITER SIZE
9.0	3.04   1.38	13″ LAPTOP	17
4.2	2.38   1.08	II" TABLET	
9.2	3.66   1.66	15" LAPTOP	18
.8	3.33   1.51	15" LAPTOP	4
5.4	3.37   1.53	13″ LAPTOP	14





## **VEO SELECT ROLL-TOP BACKPACKS**

The VEO SELECT 39RBM/43RB is a stylish roll-top backpack with a full front opening to the gear compartment and a flexible wideopening top personal compartment. It is ideal for enthusiastic image makers who want to carry as much as possible in a compact, stylish fashion that does not shout, "I am a camera bag!"



\*VEO SELECT 43RB



\*VEO SELECT 43RB

\*VEO SELECT 39RBM

COLLECTIC





(C) LANGUARD

\*VEO SELECT 36S

Stay Steady



Hanging On



EXTERIOR DIMENS

9 X 4.9 X 16.5 | 230 X 125 X 420 12.3 X 8.1 X 18.5 | 310 X 205 X 470 16.5 | 7.5 2.76 | 1.25 11" TABLET

8.3 X 4 X 15 | 210 X 100 X 380 | 10.7 X 6.8 X 16.9 | 270 X 170 X 430 | 9.3 | 4.2 | 2.36 | 1.07 | 11" TABLET

Stay Steady



FITS DEVICE LITER S

12

8

Versatile

## **SERIES HIGHLIGHTS**

M<mark>ax load</mark> [ lbs | kg ]

- Incognito no one needs to know this is a camera bag
- Safe storage secure rear pocket for travel document and wallet
- Set-up versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user

WEIGHT [ LBS | KG ]



Elevation Feet





## **SERIES HIGHLIGHTS**

- Shoulder and handle pad: effectively reduce carrying burden
- Keep dry total coverage rain cover

MODEL	INTERIOR DIMENSIONS [ inches   mm ]	EXTERIOR DIMENSIONS [ inches   mm ]	<b>MAX LOAD</b> [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	LITER SIZE		
VEO SELECT 36S	14.6 X 6.9 X 9.0   370 X 175 X 230	15.8 X 9.9 X 11.4   400 X 250 X 290	24.2   11	3.70   1.68	13"LAPTOP	15		
VEO SELECT 28S	II.O X 6.5 X 9.0   280 X 165 X 230	12.8 X 9.0 X 11.0   325 X 230 X 280	15.4   7	3.06   1.39	II" TABLET	10		
VEO SELECT 22S	9.3 X 4.8 X 7.3   235 X 120 X 185	10.6 X 6.8 X 9.0   270 X 170 X 230	6.6   3	1.68   0.76	7.9" TABLET	5		



- Double connectivity- extra strap connection up front or on the bottom
- Keep dry total coverage rain cover



VEO SELECT 43RB

VEO SELECT 39RBM



INTERIOR DIMENSIONS [INCHES | MM]



Ergonomic Design





VEO Select 22S, 28S and 36S shoulders bags are designed to carry your gear in comfort, while offering fast access when you need it





\*VEO SELECT 28S

\*VEO SELECT 22S





Versatile

Fits With Belt (22S)





• Trolley sleeve for hands free travel convenience

• Sturdy shoulder strap with metal buckle

• Quality material is strong & water/scratch resistant





## **VEO CITY CB** CROSS BODY BAG

VEO CITY is a collection of bags that delivers a sleek, modern design to match your style, while being packed with innovative storage solutions and keeping your gear safe inside. The VEO CITY Cross Body (CB) bag is designed to be an all-in-one bag that oozes style. It can organize and carry your photography kit or vlogging kit, from the camera to cables, including up to a travel tripod. The cross-body shoulder design then allows you to position the bag in the most comfortable position, whether walking or in use.



\*VEO CITY CB 29

\*VEO CITY CB 24







\*VEO CITY CB 34



**Trolley Sleeve** 



Versatile Dividers







Versatile

• Tough internal frame and water-resistant exterior

• Internal pockets made of 4-way stretch fabric

• Slot for charging/headphone cable

• Expanding carry handle

COLOR :

'Never-Tire' Carrying Experience Stay Steady

## **SERIES HIGHLIGHTS**

- Removable shoulder straps
- Flexible storage space
- Carry up to a 12.9" tablet

	MODEL	INTERIOR DIMENSIONS [Inches   MM ]	EXTERIOR DIMENSIONS [ Inches   MM ]	MAX LOAD [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	LITER SIZE
NEW	VEO CITY CB 34	11.4-13 X 3.9 X 9.3   290-330 X 100 X 235	13.8 X 5.8 X 9.9   350 X 145 X 250	18.7   8.5	2.25   1.02	12.9" TABLET	8
NEW	VEO CITY CB 29	10.3-11.4 X 3.5 X 7.9   260-290 X 90 X 200	12.3 X 5.4 X 8.5   310 X 135 X 215	II.O   5	1.81   0.82	8.3" TABLET	6
NEW	VEO CITY CB 24	8.6-9.5 X 3.I X 5.8   220-240 X 80 X 140	10.3 X 4.8 X 6.3   260 X 120 X 160	5.5   2.5	1.28   0.58	-	3









- Stitch free for a sleek and premium finish

- Rain cover for full water protection
- Slimline smart dividers
- Carry a support wherever you go
- Trolley sleeve (CB34 only)



## **VEO CITY TP TECH POUCH**

VEO CITY TP is a collection of useful tech pouches that can make carrying your gear a lot easier. The VEO CITY Tech Pouch (TP) is designed to be a multifunctional bag that doubles as a fashion accessory. It can organize and carry all your photography accessories or your vlogging kit, or any other kit you need on the go, from a first-aid kit to a handbag/manbag. TP models are perfect for carrying a gimbal or selfie stick, for vloggers on the go with smartphones or compact cameras.





\*VEO CITY TP 33







Versatile

'Never-Tire' Carrying Experience Stay Steady

## SERIES HIGHLIGHTS

- Tough internal frame and water-resistant exterior
- Expanding carry handle
- Internal pockets made of 4-way stretch fabric
- Carry up to a 13" laptop

### COLOR :

	MODEL	INTERIOR DIMENSIONS Einches   mm ]	EXTERIOR DIMENSIONS [ inches   mm ]	MAX LOAD [ lbs   kg ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	LITER SIZE
NEW	VEO CITY TP 33	13.4 X 3.8 X 9.9   340 X 95 X 250	14.1 X 6.5 X 10.6   360 X 165 X 270	17.6   8	2.60   1.18	12.9" TABLET   13" LAPTOP	8
NEW	VEO CITY TP 28	II X 3.4 X 6.8   280 X 85 X 170	11.8 X 4.8 X 7.6   300 X 120 X 195	6.6   3	1.54   0.70	8.3" TABLET	4
NEW	VEO CITY TP 23	9 X 34 X 5.5   230 X 85 X 140	9.9 X 4.8 X 6.3   250 X 120 X 160	4.4   2	1.23   0.56	-	2.5









- Stitch free for a sleek and premium finish
- Removable shoulder straps
- Flexible storage space
- Trolley sleeve (TP33 only)
- Rain cover for full water protection
- Slimline smart dividers
- Carry a support wherever you go





## **VEO RANGE T** BACKPACKS

Choosing between your daily bag and your camera bag can be quite a tough decision. Whether you are staying close to home or venturing out, with VEO RANGE messenger bags and daypacks, this need no longer be of concern. The amazing functional versatility of these bags allows you to safeguard a variety of photo or video gear alongside your personal effects. Due to the casual design of this series, by simply removing the gear, inserts or dividers, you have a great stylish and spacious everyday carrying solution.



\*VEO RANGE T 45M





\*VEO RANGE T 48

\*VEO RANGE T 37M





Ergonomic Design

\*VEO RANGE T 38

**VEO RANGE** 

Stay Steady

SHOULDER BAGS



• Designed to carry heavy gear

• Laptop sleeve for up to 13.4" laptop

• Multiple access points for quick access to gear

• Trolley sleeve for convenience while travelling

Top Quick Action



Stay Steady



Versatile

## **SERIES HIGHLIGHTS**

- Water resistant material with rain cover
- · Customizable interior and external webbing
- Multiple pockets for additional accessories
- Includes: two buckle straps, removable tripod foot pocket, water bottle bag, and rain cover

MODEL	INTERIOR DIMENSIONS [ inches   mm ]	EXTERIOR DIMENSIONS Linches   MM J	<b>max load</b> [ lbs   kg ]	WEIGHT [ LBS   KG ]	FITS DEVICE	LITER SIZE
VEO RANGE T48	II.8 X 7.5 X I8.9   300 X I90 X 480	12.8 X 9.9 X 19.6   325 X 250 X 500	25.4   11.5	4.80   2.18	15.6"LAPTOP	27
VEO RANGE T45M	II.O X 5.I X 17.8   280 X 130 X 450	11.8 X 7.5 X 18.5   300 X 190 X 470	22.0   10	4.14   1.88	13.4"LAPTOP	16
VEO RANGE T37M	10.0 X 4.5 X 14.6   255 X 115 X 370	II.O X 7.I X I5.4   280 X I80 X 390	15.4   7.0	3.02   1.37	II"LAPTOP	









Rain Cover



## SERIES HIGHLIGHTS

zip, clip and Velcro

- VEO Range 38 includes double deck design, with lower section for a travel tripod up to 42cm or additional camera gear
- Always supported all models carry a travel tripod
- Keep dry total coverage rain cover
- wallet

COLOR : COLOR	COLOR :							
MODEL	INTERIOR DIMENSIONS [Inches   mm]	EXTERIOR DIMENSIONS [ inches   mm ]	<b>MAX LOAD</b> [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	LITER SIZE		
VEO RANGE 38	15.1 X 5.7 X 11.7   385 X 145 X 300	16.8 X 8.2 X 13.3   430 X 210 X 340	15.9   7.2	2.64   1.20	15" LAPTOP	17		
VEO RANGE 32M	12.6 X 5.3 X 9.1   320 X 135 X 230	14.2 X 6.5 X 9.8   360 X 165 X 250	12.1   5.5	1.85   0.84	12.9"TABLET	10		
VEO RANGE 21M	9.2 X 4.4 X 7.5   235 X 110 X 190	10.6 X 6.3 X 8.6   270 X 160 X 220	6.2   2.8	1.06   0.48	7.9"TABLET	5		



Choosing between your daily bag and your camera bag can be quite a tough decision. Whether you are staying close to home or venturing out, with VEO RANGE shoulder bags, this need no longer be of concern. The amazing functional versatility of these bags allows you to safeguard a variety of photo or video gear alongside your personal effects. Due to the casual design of this series, by simply removing the gear, inserts or dividers, you have a great stylish and spacious everyday carrying solution.



\*VEO RANGE T 32M \*VEO RANGE T 21M





Versatile

Ergonomic Design





• Secure Top Access - multiple layers of security including

• Set-up Versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user • Safe storage - secured rear pocket for travel document and

• Incognito - no one needs to know this is a camera bag







## **VEO ADAPTOR** BACKPACKS FOR POWER ON THE GO

The new VEO Adaptor backpacks include an external USB interface opening - so you can stay charged and connected on the go. In addition they include large access openings and increased waterproofing to keep your equipment safe yet accessible. They are comfortable with thick padded handles for easy carrying. As with all Vanguard photography bags, the Adaptor series offers numerous options for internal configurations, so you can find your optimal setup based on your rig. Carry a laptop or tablet as well as your camera and lenses, memory cards, and other accessories - adapt your bag for your needs. Enjoy more variety with the new VEO Adaptor bags, which are available in two sizes and two colors, as well as rear-opening and side-opening models - making eight total choices.



AŴĂŔDS \*VEO ADAPTOR R48



\*VEO ADAPTOR S41/46 Both Sides open



\*VEO ADAPTOR R44/48 Rear open

Stay Steady





Side Opening

Ergonomic Design



### Rain Cover

Stay Steady





## **SERIES HIGHLIGHTS**

- Top waterproof zip pocket Store paper, cards, and more Waterproof and highly snag-resistant
  - belt for better mobility

MODEL	INTERIOR DIMENSIONS [ inches   mm ]	EXTERIOR DIMENSIONS [ inches   mm ]	MAX LOAD [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	LITER SIZE
VEO ADAPTOR 24M	8.9 X 4.5 X 6.3   225 X 115 X 160	9.8X 5.9 X 9.1   250 X 150 X 230	25.4   11.5	0.97   0.44	8" TABLET	4.1
VEO ADAPTOR I5M	7.1 X 4.1 X 5.9   180 X 105 X 150	8.3 X 5.3 X 8.7   210 X 135 X 220	19.8   9.0	0.71   0.32	-	2.8

## • Keep dry - total coverage rain cover

• Multiple pockets for all your accessories





## SERIES HIGHLIGHTS

- Optimized to carry a tripod comfortably
- USB charger port for charging on the go



MODEL	INTERIOR DIMENSIONS [ inches   mm ]	EXTERIOR DIMENSIONS [Inches   mm]	MAX LOAD [ lbs   kg ]	WEIGHT [ LBS   KG ]	FITS DEVICE	LITER SIZE
		11.4 X 8.6 X 19.3   290 X 220 X 490			16"MACBOOK	20
		10.3 X 8.6 X 17.8   260 X 220 X 450			13"MACBOOK	16
VEO ADAPTOR S46	9.5 X 6.3 X 17.8   240 X 160 X 450	10.6 X 8.8 X 18.3   270 X 220 X 465	18.7   8.5	3.02   1.37	15"MACBOOK	18
VEO ADAPTOR S4I	7.9 X 5.9 X I6.1   200 X I50 X 410	9.5 X 8.3 X 16.5   240 X 210 X 420	11.5   5.2	2.53   1.15	IO"IPAD	12



\*VEO ADAPTOR 24M

• Reflective stitching - Safer to carry in the dark

• Elastic side pockets - Store small accessories

**VEO ADAPTOR** SHOULDER BAGS



The VEO Adaptor Shoulder Bag series is designed to carry and protect your camera kit with ease. The modern design applies highquality, tear-and water-resistant material with a waterproof zipper for a high level of protection on the go. Designed to carry up to a camera with 2-3 lenses (or a small drone), VEO Adaptor is packed with additional storage pockets for all the accessories you need. All this and easy to carry with a choice of handle or shoulder strap, with a belt sleeve to keep the bag close and secure as you travel.



\*VEO ADAPTOR 15M






Versatile



Fits With Belt



- Up to 8"tablet (VEO Adaptor 24M)
- Extra padded waist sleeve Attaching to waist







### VEO GO **BACKPACKS/SHOULDER BAGS**

Having your camera with you no matter where you are is key to shooting that memorable experience. VEO GO is a dedicated mirrorless/ CSC/hybrid camera bag series, classically stylish with a fresh urban traveler look that does not shout, "I am a camera bag!" All models are super-compact, yet spacious inside. And they are feature-rich, offering second-to-none gear protection alongside plenty of pockets for your important personal daily or travel needs. The backpacks can easily transform into regular daypacks.










- VEO GO 34M can carry VEO 3GO 204/235 travel tripods in the internal tripod compartment for a discreet solution on the go
- Snug and protective perfectly sized to fit for mirrorless/CSC/hybrid camera models

64 👽 www.vanguardworld.com



- Easy & secure access-shoulder bags open away
  - from the body for quick & easy access. Backpacks offer full rear opening for added security in crowds. • Off the clock-easily transforms into an everyday
  - backpack or shoulder bag • Intuitive- straightforward setup for camera gear
  - and personal effects













## SERIES HIGHLIGHTS

- Next-generation dividers with multi-folding styles
- Multiple pockets for accessories
- Water-resistant material

MODEL	INTERIOR DIMENSIONS [Inches   mm ]	EXTERIOR DIMENSIONS [INCHES   MM ]	MAX LOAD [ lbs   kg ]	<b>WEIGHT</b> [ LBS   KG ]	LITER SIZE
VEO BIB T25	9.8 X 4.3 X 7.5   250 X 110 X 190	10.8 X 5.5 X 8.3   275 X 140 X 210	7.1   3.2	1.15   0.52	5.2
VEO BIB T22	8.7 X 3.9 X 6.3   220 X 100 X 160	9.8 X 5.1 X 7.3   250 X 130 X 185	6.2   2.8	0.88   0.40	3.5
VEO BIB TI8	7.1 X 3.9 X 5.5   180 X 100 X 140	8.3 X 5.1 X 6.7   210 X 130 X 170	4.4   2.0	0.71   0.32	2.5



The VEO BIB T Series is a top access camera bag for smaller camera kits (up to 3 lenses), that is designed to fit into the bag of your choice. Being top access, it is ideally suited for a shoulder bag, but it can also be used to keep you camera safe between locations in any style of bag (such as in your everyday hand luggage) and then used on location as a lightweight shoulder bag in it's own right when you reach your destination.



\*VEO BIB T 25

Trolley sleeve (T25)

Versatile





### • Padded handle and shoulder strap

• Trolley sleeve (T25 only)








### **VEO BIB F** FRONT (AND TOP) ACCESS BAG-IN-BAG

The VEO BIB F Series is designed to fit inside the backpack or roller case of your choice, allowing you to carry your camera gear inside a larger bag. With a choice of front access or top access in every model, these are ideal partners for the backpack or roller bag of your choice. Alternatively, they can be carried separately using the comfortable handle or shoulder strap. Inside the slim, smart dividers can be tailored for your gear, and this doesn't need to be just for cameras and lenses. In addition there are multiple storage pockets for all the accessories you need, including up to a 11" tablet.



13

6.5

VEO BIB DIVIDER S46

VEO BIB DIVIDER S40

17.5 X 6.9 X 12.8 | 445 X 175 X 325

15.6 X 5.9 X 9.6 | 395 X 150 X 245

VEO BIB DIVIDER \$37 13.6 X 5.9 X 8.1 345 X 150 X 205

18.9 X 8.5 X 14.0 | 480 X 215 X 355

17.1 X 7.5 X 10.8 | 435 X 190 X 275

15.4 X 7.5 X 9.8 | 390 X 190 X 250

VEO BIB F36	11.0 X 6.3 X 15.0   280 X 160 X 380	12.6 X 7.7 X 16.1   320 X 195 X 410	16.5   7.5	2.29   1.04	II" TABLET
 VEO BIB F33	11.0 X 6.3 X 11.0   280 X 160 X 280	12.4 X 7.7 X 12.4   315 X 195 X 315	13.2   6	1.90   0.86	II" TABLET
VEO BIB F28	11.0 X 6.3 X 7.1   280 X 160 X 180	12.4 X 7.7 X 9.3   315 X 195 X 235	9.9   4.5	1.50   0.68	7" TABLET
VEO BIB F27	8.3 X 4.3 X 11.0   210 X 110 X 280	9.4 X 5.7 X I2.4   240 X I45 X 3I5	8.4   3.8	1.19   0.54	7" TABLET



## **VEO BIB DIVIDER S** TOUGH BAG-IN-BAG FOR SUITCASES OR HOME STORAGE

The tough, water resistant outer shell on all the VEO BIB DIVIDER S Series is designed to keep valuable gear safe at home or on the go, while being easy to carry with a comfortable handle or padded shoulder strap. Alternatively it can be used with SUPREME hard case for the ultimate protection. Inside the slim, smart dividers can be tailored for your gear, and this doesn't need to be just for cameras and lenses. In addition there are multiple storage pockets for all the accessories you need, including up to a 15" laptop.



\*Compatible with Supreme case series(Also Sold Separately)



Padded Shoulder Strap



Accessories Tray




## SERIES HIGHLIGHTS

• Pockets in the lid for up to a 15" laptop and

• Separate storage tray for a wealth of accessories such as SD cards and cables

• Padded handle and padded shoulder strap for

MAX LOAD [ lbs   kg ]	<b>WEIGHT</b> [ LBS   KG ]	FITS DEVICE	LITER SIZE
29.8   13.5	6.70   3.04	15" LAPTOP	38
24.2   11.0	5.33   2.42	13" LAPTOP	26
19.2   8.7	3.92   1.78	II" TABLET	15
13.7   6.2	3.13   1.42	7" TABLET	





### **DIVIDER BAG** FOR SUPREME CASES OR HOME STORAGE

Vanguard Divider Bags are designed to fit inside Supreme Cases and offer ideal set-up for photo and video gear within the security of an infallible hard case.





\*Compatible with Supreme case series(Also Sold Separately)



## WATERPROOF CASE

Virtually indestructible, the rugged Vanguard Supreme Series hard cases have innovative features for unmatched strength and durability. They are O-ring sealed, waterproof (up to a depth of 16.5 feet/5 meters), airtight, and built to withstand the most extreme conditions. Supreme cases are great for airline travel with an automatic pressure equalization valve. Anti-slip rubber feet and a solid carrying handle offer extra durability. Rest assured, your optics will be safe from all harm in these cases.



\*SUPREME 53F

\*DIVIDER BAG 53

### Versatile









## SERIES HIGHLIGHTS

Precision Instruments

- Padded storage bag to keep your gear safe in a Supreme Mesh pocket in the lid for accessories and Case, or safe at home when not needed
- Suitable for up to 16 pro bodies/lenses
- documents
- Padded handle for carrying



MODEL	INTERIOR DIMENSIONS [ Inches   mm ]	EXTERIOR DIMENSIONS [ Inches   MM ]	WEIGHT [ LBS   KG ]	LITER SIZE
DIVIDER BAG 53	21 X 15.8 X 6.9   535 X 400 X 175	22 X I6.8 X 7.9   560 X 425 X 200	3.64   1.65	-
DIVIDER BAG 46	17.5 X 12.9 X 6.9   445 X 325 X 175	18.8 X 13.7 X 7.6   480 X 345 X 195	3.00   1.34	-
DIVIDER BAG 40	15.5 X 9.6 X 5.9   395 X 245 X 150	17 X 10.9 X 6.8   430 X 275 X 170	1.98   0.90	-
DIVIDER BAG 37	13.7 X 8.1 X 5.9   345 X 205 X 150	15 X 9.8 X 6.8   380 X 240 X 170	1.65   0.75	-





MODEL	INTERIOR DIMENSIONS [Inches   mm]	EXTERIOR DI [ inches		
SUPREME 53F / SUPREME 53D	22 X 17.7 X 7.8   560 X 450 X 200	24.8 X 20.4 X 9.4		
SUPREME 46F / SUPREME 46D	18.9 X 14.5 X 7.8   480 X 370 X 200	20.2 X 17.1 X 8.6		
SUPREME 40F / SUPREME 40D	16.9 X 11.6 X 6.8   430 X 295 X 175	18.3 X 14.3 X 7.6		
SUPREME 37F / SUPREME 37D	16.3 X 10.2 X 6.8   380 X 260 X 175	16.3 X 9.2 X 7.6		
SUPREME 27F / SUPREME 27D	II X 9.8 X 6.6   250 X I90 X I50	II X 9.8 X 6.6		





\*SUPREME 53D



**INCREDIBLY STRONG & RUGGED** 



WATER & DUST PROOF

10









## **VESTA ASPIRE** BACKPACKS/SHOULDER BAGS

The new Vesta Aspire Collection by Vanguard has set its goal to become the 'go-to' accessory choice of new photographers engaging for the first time in the passionate world of image making. To do this our collection goals were simple; our accessories must share the passion, while offering a seamless intuitive user experience that will become part of everyday life alongside the key star - the new camera! In this new series we guarantee the perfect first bag for anyone starting to engage passionately in photography. Designed for the most popular camera kits, Vesta Aspire delivers great protection, style and functionality in a range of perfectly fitted shoulder bags and backpack, all of which offer intuitive set-up and ease of use.







\*VESTA ASPIRE 25/21/15 Shoulder bags

\*VESTA ASPIRE 15Z Shoulder bags









Ergonomic Design

\*VESTA ASPIRE 41 Backpacks

Stay Steady



• Lightweight and Easy to Carry







Shoulder Bags Opening

## SERIES HIGHLIGHTS

- Padded Comfortable Carrying Strap
- Smooth and durable zipper
- Divider Bag-Multifunction Cases


### SHOULDER BAGS / BACKPACKS :

• Extra Protective Sewing for better security

MODEL	INTERIOR DIMENSIONS [ inches   mm ]	EXTERIOR DIMENSIONS [ Inches   MM ]	<b>MAX LOAD</b> [ LBS   KG ]	WEIGHT [ lbs   kg ]	FITS DEVICE	LITER SIZE
VESTA ASPIRE 41	8.9 X 5.9 X 16.1   225 X 150 X 410	IO X 8.7 X 18.3   255 X 220 X 465	11.0   5	1.70   0.77	9.7" TABLET	-
VESTA ASPIRE 25	10.2 X 6.7 X 8.3   260 X 170 X 210	4 X 8.  X 10   290 X 205 X 255	9.9   4.5	1.06   0.48	9" TABLET	-
VESTA ASPIRE 21	8.7 X 5.3 X 7.7   220 X 135 X 195	9.8 X 6.5 X 8.7   250 X 165 X 220	5.1   2.3	0.73   0.33	-	-
VESTA ASPIRE 15	6.3 X 4.5 X 5.9   160 X 115 X 150	7.0 X 5.9 X 7.9   180 X 150 X 200	3.3   1.5	0.48   0.22	-	-
VESTA ASPIRE 15Z	5.9 X 4.9 X 7.9   150 X 125 X 200	6.9 X 5.7 X 9.4   175 X 145 X 240	4.9   2.2	0.51   0.23	-	-







### **ALTA ACCESSORIES**

Our photographers deserve the ultimate Alta Experience and a seamless workflow wherever their passion leads them. We offer them great products to enhance and support their passion not just when carrying their gear, but also when shooting in the field! Alta Accessories are part of our wide range of Alta Tripods and Bags and together they enable Vanguard to offer solutions for specific requirements such as quick action, element protection, gear organization, ergonomic comfort and much more!





Outside Dim ensions: 190×35x115 mm | 7.5×1.3×4.5 in Weight: 0.16 lbs | 0.07 kg



### ALTA RC Rain Cape

The Alta Rain Cape is an ingenious shooting in the rain solution designed to protect your camera and lens from the elements. This multi-use cover folds into a compact pouch and easily fits in any bag, so that you are never caught out in a downpour without adequate protection.



**ALTA RCS** Outside Dimensions: 510×600 mm | 20.1×23.6 in Weight: 0.19 lbs | 0.08kg Camera lens: 24-70mm/18/135mm F2.8



**ALTA RCM** Outside Dimensions: 600×600 mm | 23.6×23.6 in Weight: 0.19 lbs | 0.08kg Camera lens: 70-200mm



**ALTA RCL** Outside Dimensions: 860×950 mm | 34×37.3 in Weight: 0.29 lbs | 0.12kg Camera lens: ~400mm



ALTA RCXL Outside Dimensions: 970×950 mm | 38.3×37.3 in Weight: 0.29 lbs | 0.12kg Camera lens: ~600mm

### **ALTA SBM**

Stone Bag Medium

Exterior dimension: 355×350 mm | 14 x 13.7 in Expanding strap: 180 mm | 7.2 in Max leg-to-leg distance: 680 mm | 26.7 in Max loading: 20 kg | 44 lbs Max leg diameter: <40 mm




• Stabilize any tripod by providing a centralized, balanced weight

**ALTA SBL** Stone Bag Large

Exterior dimension: 355×350 mm | 14 x 13.7 in Expanding strap: 220 mm | 8.6 in Max leg-to-leg distance: 760 mm | 30 in Max loading: 30 kg | 66 lbs Max leg diameter: **<45 mm** 



Metal Weight Hook



### **ALTA ACTION**

The Alta Action advanced carrying tripod bags are tailored to best fit and protect our Alta Pro tripods & heads. More than just a great tripod carrying solution these bags are designed to support the full Alta experience.



MODEL	INTERIOR DIMENSIONS (Inches   MM )	EXTERIOR DIMENSIONS Cinches   MM ]	<b>max load</b> [ lbs   kg ]	<b>WEIGHT</b> [ LBS   KG ]
ALTA ACTION 80	31.5 X 6.7 X 5.1   800 X 170 X 130	32.1 X 7.1 X 5.5   815 X 180 X 140	8.8   4.0	0.84   0.38
ALTA ACTION 70	27.5 X 6.7 X 5.1   700 X 170 X 130	28.I X 7.I X 5.5   715 X 180 X 140	7.7   3.5	0.77   0.35
ALTA ACTION 60	23.6 X 5.5 X 3.8   600 X 140 X 100	24.2 X 5.8 X 4.3   615 X 150X 110	6.6   3	0.66   0.30







# Sporting Optics

Since 1986, VANGUARD has been a part of the worldwide photo/video market and launched new products every year. We have been recognized by well-known awards all over the world, have worked with creators from all walks of life, and have sold our products in more than 80 countries.

Vanguard optics belong to one of three main families: **The Endeavor series**, which boasts advanced features geared toward professionals; **the VEO series**, which offers advanced features for all types of users; and **the Vesta series**, our family of practical equipment designed for newcomers or those who just need a simple solution. Our collections include a wide range of binoculars, monoculars, spotting scopes, mounts, and other accessories.



endeavor





.........



### **ENDEAVOR HD** SPOTTING SCOPES

The angled view Endeavor HD spotting scope combines a nitrogen-filled magnesium housing and a fully multi-coated optical system to create a well equipped zoom scope for intermediate to long-range observation. The optical system employs Extra Low Dispersion (ED) Glass to ensure accurate color rendition and virtually eliminate color fringing. The lenses are fully multicoated to ensure optimum light transmission and feature a phase-coated BAK4 roof prism. It also provides a very impressive field of view. In addition to the image quality and weather-sealed construction, the Endeavor HD includes several features that enhance the scope's functionality. It features an extendable rubber covered eyecup and boasts impressive eye relief even at the highest zoom settings. A built-in sunshield is included to eliminate glare in direct sunlight and it includes a padded raincoat with sling for carry and protection. Endeavor HD is also equipped with rapid focus and fine focus wheels for quick and precision fine tuning adjustments. The Endeavor HD mounts directly to Vanguard tripod heads (and others) that are equipped with the universal mounting plate without the use of a quick shoe.



### **ENDEAVOR XF** SPOTTING SCOPES

The Endeavor XF spotting scope boasts excellent optical viewing for nature enthusiasts and hunters. It features a rubber armored magnesium body and is waterproof submersible, nitrogen filled, and fogproof. The lenses are all fully multicoated to ensure optimum light transmission and feature a phasecoated BAK4. The Endeavor XF 60A comes with a 60mm objective lens and angled eyepiece with 15-45x zoom magnification. It features an extendable rubber covered eyecup and boasts impressive eye relief even at the highest zoom settings. It also provides a very impressive field of view. A built-in sunshield is included to eliminate glare in direct sunlight and it includes a padded raincoat with a sling for carrying and protection. Endeavor XF is equipped with a large smooth focusing wheel for quick focusing adjustments. The Endeavor XF mounts directly to Vanguard tripod heads (and others) that are equipped with the universal mounting plate without the use of a quick shoe. The tripod mount on the angled scope rotates to give optimum viewing angles in a variety of situations such as bench shooting and use with a window mount.







- Premium ED glass assures exceptional detail and brilliant colors
- Advanced MultiGuard  ${\ensuremath{\mathbb R}}$  coatings for higher light transmittance
- Modern ergonomics with rubber armored magnesium
- Stacked, dual-focus controls for making quick and fine adjustments
- Dual Focus Controls For FineTuning Adjustments
- Built-In Sunshield Eiminates Glare in Direct sunlight
- Extra-Low Dispersion Glass
- Arca Swiss Compatible Mountable to Tripod

MODEL		OBJECTIVE LENS [ MM ]	FIELD OF VIEW [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [ FEET   M ]	EYE RELIEF [MM]	WEIGHT [ oz   g ]
ENDEAVOR HD 82A	20-60 X	82	110-52   37-17	19.7-21.3   6-6.5	19-20	63.85   1810
ENDEAVOR HD 65A	15-45 X	65	144-68   48-23	14.8-18   4.5-5.5	19-20	51.15   1450





### SERIES HIGHLIGHTS

- Angled Eyepiece With 15-45X Zoom Magnification
- Large Focus Wheel for Easy Use, Even with Gloves
- Fully Multi-Coated Optics and PhaseCoated BAK4 Prism
- Rubber Armored Magnesium Body
- 4 layers Coatings
- Built-In Lens Cap
- Tripod Mounting Shoe

MODEL		OBJECTIVE LENS [ MM ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [FEET   M]
ENDEAVOR XF 80A	20-60 X	80	110-52   37-17	19.7~21.3   6~6.5
ENDEAVOR XF 60A	15-45 X	60	141-68   47-23	16.4~19.7   5~6

### PERFECT PARTNERS

Endeavor XF 80A VEO PA-65 VEO 3 263CO

[P77] [P90] [P22]





EYE RELIEF	WEIGHT [ oz   g ]
19-20	59.3   1680
19-20	45.1   1280





### **VEO HD** SPOTTING SCOPES

The VEO HD spotting scope boasts excellent optical viewing for nature enthusiasts. It is nitrogen-filled, making it waterproof/fogproof for challenging weather conditions. The lenses are all fully multi-coated to ensure optimum light transmission, and each scope is equipped with a large, smooth focusing wheel for quick adjustments. The lightweight and durable carbon-composite body is well-balanced, so whether in the field or at the range, VEO HD is a must-have.



\* VEO HD 80A





Twist out eyecup





Find The Most Comfortable Viewing Angle With 180° Rotatable Front Body VEO HD 80A [P78] VEO PA-65 [P90] VEO 3V 263AV16 [P14]





**SPOTTING SCOPE KITS** 

VESTA





Model No:560A comes with VS-82

#### SERIES HIGHLIGHTS

- Up to 60x zoom with a choice of 60mm or 80mm objective lens
- Extra Low (ED) Dispersion Glass
- BaK4 roof prism
- Fully Multi-Coated with Multiguard ® 4
- Waterproof, and nitrogen filled to be fogproof
- Weighs as little as 600g

MODEL		OBJECTIVE LENS [ MM ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [ FEET   M ]
VESTA 560A	15-45X	60	34.8 - 20.9   104.4 - 62.6	8 - 9   26.3 - 29.5
VESTA 460A	15-50X	60	41.7 - 19.1   125.3 - 57.4	10 - 12   32.8 - 39.4
VESTA 350A	12-45X	50	52.2 - 17.4   156.6 - 52.2	9 - 12   29.5 - 39.4

#### SERIES HIGHLIGHTS

- Up to 45x zoom with a choice of 50mm or 60mm objective lens
- BaK4 roof prism
- Fully Multi-Coated with Multiguard ® 4
- Built in sunshield to eliminate glare in direct sunlight
- Waterproof, and nitrogen filled to be fogproof
- Arca compatible foot to fit into suitable clamp and eliminate movement
- Weighs as little as 1205g

MODEL		OBJECTIVE LENS [ MM ]	FIELD OF VIEW [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet   m ]	EYE RELIEF [MM]	WEIGHT [ dz   g ]
VEO HD 80A	20~60 X	80	110-52   37-17	19.7-21.3   6-6.5	19-20	54.7   1550
VEO HD 60A	15~45 X	60	141-68   47-23	16.4-19.7   5-6	19-20	42.5   1205





The VESTA series of spotting scopes is recommended for anyone starting out with a spotting scope, or looking for something smaller to carry with ease. To the benefit of outdoor enthusiasts these scopes are compatible with many sized tripods. The Vesta 350 and 460 models are small enough to fit in the side pocket of a backpack and work great on a table top. Travelers and trend setters worldwide will also appreciate the Vanguard Vesta optics which are loaded with quality and deliver excellent value.



## **VEO HD IV** BINOCULARS



**PERFECT PARTNERS** 

[P80]

[P90]

[P90]


[P24]

**VEO HD IV 1042** 

VEO 3T 204ABP

VEO PA-62

BA-185





\* VEO HD IV 1042



#### SERIES HIGHLIGHTS

- HOYA Extra Low (ED) Dispersion Glass
- SK-15 roof prism
- Fully Multi-Coated with Multiguard ® 7
- Lockable dioptre
- Waterproof, and nitrogen filled to be fogproof
- Durable magnesium alloy housing
- Premium pebbled Mitsubishi rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42 and 10x42

	MODEL		OBJECTIVE LENS [ MM ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet   m]	EYE RELIEF	ADJUST. PUPILLARY [mm]	WEIGHT [ oz   g ]
_	VEO HD IV 1042	10 X	42	340   114	5.9   1.8	19	56-74	27.7   786
	VEO HD IV 8420	8 X	42	377   126	5.9   1.8	19	56-74	27.7   786



The VEO HD2 Binocular features HOYA extra-low dispersion (ED) glass and phase-corrected BAK4 prisms that work together to virtually eliminate chromatic aberration and produce images with true color fidelity across the entire field of view and enhanced contrast. Complementing the glass and prisms are an anti-reflective and fully multi-coated optical system that improves light transmission for bright and clear images with greater low-light performance.



\* VEO HD2 1042



#### SERIES HIGHLIGHTS

- HOYA Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- + Fully Multi-Coated with Multiguard  ${\ensuremath{\mathbb R}}$  7
- Lockable dioptre
- Waterproof, and nitrogen filled to be fogproof
- Lightweight carbon composite housing
- Premium Mitsubishi rubber armour
  - Tripod mountable (with adaptor such as the BA-185)
  - Available as 8x42 and 10x42

MODEL		OBJECTIVE LENS [ MM ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet   m]	EYE RELIEF	ADJUST. PUPILLARY [mm]	WEIGHT [oz g]
VEO HD2 1042	10 X	42	340   114	6.6   2.0	18	58-74	25   710
VEO HD2 8420	8 X	42	377   126	6.6   2.0	19	58-74	25   710





#### **PERFECT PARTNERS**







### **VEOED** BINOCULARS

VEO ED is a well-balanced, lightweight, and durable carbon-composite binocular. It is 100% waterproof/fogproof, and designed to take on challenging weather conditions. Extra Low Dispersion (ED) Glass effectively reduces chromatic aberration and enhances color resolution and contrast. The VEO ED is essential for every outdoor enthusiast.



The VEO HD Binocular features extra-low dispersion (ED) glass and phase-corrected BAK4 prisms that work together to virtually

Complementing the glass and prisms are an anti-reflective and fully multi-coated optical system that improves light transmission for

eliminate chromatic aberration and produce images with true color fidelity across the entire field of view and enhanced contrast.

\* VEO HD 1042



#### SERIES HIGHLIGHTS

- Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 7
- Lockable dioptre

VFN HN

**BINOCULARS** 

- Waterproof, and nitrogen filled to be fogproof
- Lightweight carbon composite housing
- Premium Mitsubishi moulded rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42 and 10x42

MODEL		OBJECTIVE LENS [ MM ]	FIELD OF VIEW [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet m]	EYE RELIEF [mm]	ADJUST. PUPILLARY [mm]	WEIGHT [ oz   g ]
VEO HD 1042	10 X	42	342   114	6.6   2.0	18	58-74	27.1   767
VEO HD 8420	8 X	42	372   124	6.6   2.0	19	58-74	26.8   760

#### PERFECT PARTNERS







\* VEO ED 1250



#### SERIES HIGHLIGHTS

- Super light, weighing from just 640g/23oz
- Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- + Fully Multi-Coated with Multiguard  ${\ensuremath{\mathbb R}}\,4$
- Waterproof, and nitrogen filled to be fogproof
- Lightweight carbon composite housing

MODEL		OBJECTIVE LENS [ MM ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet m]	EYE RELIEF [MM]	ADJUST. PUPILLARY	WEIGHT [ oz   g ]
VEO ED 1250	12 X	50	251   84	11.5   3.5	18	60~75	26.8   760
VEO ED 1250	10 X	50	282   94	9.8   3	19	59.5~75	27.6   782
VEO ED 1042	10 X	42	314   105	9.2   2.8	16	55~75	22.6   640
VEO ED 8420	8 X	42	330   110	8.2   2.5	19	55~75	22.6   640







Premium Mitsubishi textured rubber armour
Tripod mountable (with adaptor such as the BA-185)
Available as 8x42, 10x42, 10x50 and 12x50









VEO XF offers outstanding image quality and user-friendly features. All nature enthusiasts will enjoy the fully multi-coated, bright, highresolution optics that are built into a textured rubber armor, waterproof, fogproof body that will hold up to any challenging weather.



\* VEO XF



#### SERIES HIGHLIGHTS

- Super light, weighing from just 640g/23oz
- Premium Optical Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 4 how many layers
- Waterproof, and nitrogen filled to be fogproof
- Premium Mitsubishi textured rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42 and 10x42

	MODEL		OBJECTIVE LENS [ MM ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet m]	EYE RELIEF	ADJUST. PUPILLARY [mm]	WEIGHT [ oz   g ]
NE	🖤 VEO XF 1042	10 X	42	332   111	6.9   2.1	16	57-74	22.6   640
NE	🤒 VEO XF 8420	8 X	42	409   136	6.9   2.1	20	57-74	23.3   660





**PERFECT PARTNERS** 





The Vesta 25mm & 42mm binoculars cater to nature lovers worldwide who are looking for a high performing and mechanically solid binocular with excellent value. The Vesta series binoculars are sharp looking with a stylish European design that are low in weight and high in performance. Assembled with light weight housing material and rubber armoring for added no slip security that surrounds optical quality glass and coatings. Enhancing BAK4 roof prism system combined with Multiguard® multi-coating technology deliver surprising resolution, clarity, color fidelity and light transmission. Twist eye cups and a customized right eye diopter adjustment perfectly match the environment and the application. Vesta 25mm & 42mm binoculars are waterproof and fogproof.



\* VESTA 8420



#### SERIES HIGHLIGHTS

• Perfect starter binoculars

- Super light, weighing from just 280g/10oz • Phase corrected Bak4 roof prisms (BK7 in 8x25 and 10x25)
- Fully Multi-Coated
- Waterproof, and nitrogen filled to be fogproof
- Rubber armour

MODEL	POWER	OBJECTIVE LENS [ MM ]	FIELD OF VIEW [ ft/1000 yds   m/1000 m ]	NEAR FOCUS [feet m]	EYE RELIEF [mm]	ADJUST. PUPILLARY	WEIGHT [ oz   g ]
VESTA 1042	10 X	42	298   100	6.9   2.1	17	56-74	20.8   590
VESTA 8420	8 X	42	325   108	6.9   2.1	19	56-74	21.5   610
VESTA 1025	10 X	25	330   110	8.2   2.5	10	56-74	9.88   280
VESTA 8250	8 X	25	340   114	8.2   2.5	12.5	56-74	9.88   280



#### **PERFECT PARTNERS**



• Tripod mountable (with adaptor such as the BA-185) • Available as 8x25, 8x42, 10x25 and 10x42







### **VESTA COMPACT** BINOCULARS

The Vesta Compact 21 caters to nature lovers worldwide who are looking for a fun and care free optic with excellent value. The Vesta Compact 21 is a sharp looking and stylish carry along that is light in weight and high in performance. Assembled with lightweight materials, containing optical quality glass and coatings for surprising clarity and color fidelity.



The VEO HD2 Monocular features HOYA extra-low dispersion (ED) glass to virtually eliminate chromatic aberration and produce images with true color fidelity across the entire field of view and enhanced contrast. The package includes a smartphone adapter and bluetooth remote so you can capture crisp, clear images on the go



\* VESTA 8210 ROSE



Available in 4 Color options



Includes neck strap and pouch



#### SERIES HIGHLIGHTS

- Ergonomic and durable body with a slim, sleek profile
- Lightweight yet durable aluminum housing
- Roof prism design and coated lenses for a clear viewing experience
- Fast and smooth center focus wheel for ease of use
- Twist out and lockable rubber eyecups for comfortable viewing

MODEL	POWER	OBJECTIVE LENS [ Mm ]	<b>FIELD OF VIEW</b> [ ft/1000 yds   m/1000 m ]	NEAR FOCUS [feet m]	EYE RELIEF [mm]	ADJUST. PUPILLARY	WEIGHT [ oz   g ]
VESTA 8210	8 X	21	123.5   370.6	4   13.2	10	56.5-72	6.88   195
VESTA 1021	10 X	21	100.9  302.7	4   13.2	8	56.5-72	6.88   195





#### SERIES HIGHLIGHTS

- HOYA Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 7
- Ergonomic central focus wheel
- Waterproof, and nitrogen filled to be fogproof
- Tripod mountable using ¼" thread on base
- Includes smartphone digiscope adaptor
- Includes Bluetooth remote control for IOS and Android
- Weighs just 325g and small enough to fit into a pocket

MODEL		OBJECTIVE LENS [ mm ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet m]	EYE RELIEF [MM]
VEO HD 2 1042M	10 X	42	342   114	6.5   2.0	18













### 

### VEO ED 8420M MONOCULAR

Vanguard's new VEO ED 8420M monocular offers a new, compact way for you to get a closer look in the field or at events. This 100% waterproof and fogproof optics piece features Extra-Low Dispersion (ED) Glass, which effectively reduces chromatic aberration and enhances color resolution and contrast. The package includes VEO PA-62 smartphone adapter and Bluetooth remote, so you can capture your magnified subjects on film or video.



The Vanguard Vesta 8320M monocular delivers optimal optical performance in a lightweight and compact body. The package includes a smartphone adapter and Bluetooth remote so you can capture crisp, clear images on the go.



#### SERIES HIGHLIGHTS

- Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 4
- Ergonomic central focus wheel
- Waterproof, and nitrogen filled to be fogproof
- Tripod mountable using ¼" thread on base
- Includes smartphone digiscope adaptor
- Includes Bluetooth remote control for IOS and Android
- Weighs just 300g and small enough to fit into a pocket

MODEL		OBJECTIVE LENS [ MM ]	<b>FIELD OF VIEW</b> [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet m]	EYE RELIEF [MM]	WEIGHT [ oz   g ]
VEO ED 8420M	8X	42	324   108	8.2   2.5	19	10.6   300





#### SERIES HIGHLIGHTS

- Phase corrected BaK4 roof prism
- Fully Multi-Coated
- Ergonomic central focus wheel
- Waterproof, and nitrogen filled to be fogproof
- Tripod mountable using <sup>1</sup>/<sub>4</sub>" thread on base
- Includes smartphone digiscope adaptor
- Includes Bluetooth remote control for IOS and Android
- Weighs just 120g and small enough to fit into a pocket

MODEL		OBJECTIVE LENS [ MM ]	FIELD OF VIEW [ FT/1000 YDS   M/1000 M ]	NEAR FOCUS [feet m]	EYE RELIEF [MM]
VESTA 8320M	8X	32	393.2   131	6.56   2.0	17.7









### **OPTICS ACCESSORIES** CAPTURE SIGHTINGS WITH YOUR SMARTPHONE

## 

### **VEO PA-65**

**Universal Smartphone Adaptor for most Spotting Scopes** 

VEO PA-65 is a universal smartphone digiscoping kit that will fit any smartphone up to 3.54 inches/90mm wide, and can be used with almost any spotting scope from any brand to enable you to take captivating closeup shots and share them straight to social media

Fits smartphones up to: 59-90mm/2.3-3.5in.wide Fits eye pieces between:  $\Phi$ 34-54mm/1.3-2.1in.



### **VEO PA-62**

Universal Smartphone Adaptor for most Binoculars

VEO PA-62 universal digiscope adaptor can be used for taking photos or video with almost any smartphone up to 91mm/3.6 inches wide, with an adjustable arm that can be aligned to any lens on the camera. It quickly attaches to the eyepiece of any binocular or monocular that has a diameter between 41.5-44.7mm/1.6-1.8 inches wide, and can be paired to Apple or Android smartphones with the included Bluetooth remote for touch-free control.

Fits smartphones up to: 60-91mm/2.4-3.6in.wide Fits eye pieces between: Φ41.5-44.7mm/1.6-1.8in





The VEO OPTIC GUARD series is the quintessential harness solution for passionate birders who use their binoculars or cameras for extended periods. The Optic Guard is designed with ultimate ergonomic comfort in mind, enabling you carry your gear in the field without added weight or pressure. Whether you're just heading out for a short hike or committed to a long-term birding experience, the VEO OPTIC GUARD series is sure to enhance your outdoor experience

### **VEO OPTIC GUARD H DLX**



### **VEO OPTIC GUARD NS**



MODEL	STRAP LENGTH [ inches   mm ]	STRAPWIDTH [INCHES   MM ]	MAXLOAD [lbs kg]	WEIGHT [lbs g]
VEO OPTIC GUARD H DLX	-	1.0   25	5.5   2.5	0.53   240
VEO OPTIC GUARD H	-	1.0   25	2.2   1.0	0.31   140
	33-43   838-1092	1.0   25	5.5   2.5	0.26   120
VEO OPTIC GUARD WS	-	1.0   25	4.0   1.8	0.09   40

### BA-185 **Binocular Tripod Adaptor**

The BA-185 Binocular Tripod Adapter steadies a binocular for clear, relaxed, hands-free viewing. It works with any roof prism binocular that has a standard 1/4-20 thread tripod socket, and on most models its thin bridge will still allow you to set your binocular to the minimum interpupillary distance adjustment



#### Spotting Scope Camera Adaptor

PA-202 is a digiscoping adaptor designed specifically to fit Endeavor HD Spotting Scopes and allow any camera with a 52/58mm lens to be attached securely









### **VEO OPTIC GUARD H**



### **VEO OPTIC GUARD WS**













MODEL	FOLDED HEIGHT [INCHES   MM ]	EXTENDED HEIGHT [ INCHES   MM ]	STANDARD HEIGHT [ inches   MM ]	MINIMUM HEIGHT [ INCHES   MM ]	LEG DIAMETER [ MM ]		HEAD	ouick Shoe	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]	
ALTA PRO 3VRL 303AT 🛛 🕬	29.88   759	66.93 / 1700	-	7.09 / 180	30	3	-	-	55.1   25	5.38   2.44	ALUMINUM ALL
ALTA PRO 3VRL 303CT 🕬	29.88   759	66.93 / 1700	-	7.09 / 180	30	3	-	-	55.1   25	4.60   2.09	CARBON FIBEI
ALTA PRO 3VRL 303AV20 🐠	33.90   861	70.94 / 1802	-	II.IO / 282	30	3	VEO PV-20	QS-67	13.2   6	8.00   3.63	ALUMINUM ALL
ALTA PRO 3VRL 303CV20 🕬	33.90   861	70.94 / 1802	-	II.IO / 282	30	3	VEO PV-20	QS-67	13.2   6	7.21   3.27	CARBON FIBE
ALTA PRO 3VRL 303AVI8 🕬	34.02   864	71.06 / 1805	-	II.22 / 285	30	3	VEO PV-18	QS-6IP	33.1   15	7.98   3.62	ALUMINUM ALL
ALTA PRO 3VRL 303CVI8 🕬	34.02   864	71.06 / 1805	-	II.22 / 285	30	3	VEO PV-18	QS-6IP	33.1   15	7.19   3.26	CARBON FIBE
ALTA PRO 3VL 303AV20 🐠	33.54   852	70.87 / 1800	-	II.02 / 280	30	3	VEO PV-20	QS-67	13.2   6	8.22   3.73	ALUMINUM ALI
ALTA PRO 3VL 303CV20 🐠	33.54   852	70.87 / 1800	-	II.02 / 280	30	3	VEO PV-20	QS-67	13.2   6	7.43   3.37	CARBON FIBE
ALTA PRO 3VL 303AVI8 🐠	33.66   855	70.87 / 1800	-	II.22 / 285	30	3	VEO PV-18	QS-6IP	33.1   15	8.20   3.72	ALUMINUM AL
ALTA PRO 3VL 303CVI8 🐠	33.66   855	70.87 / 1800	-	II.22 / 285	30	3	VEO PV-18	QS-6IP	33.1   15	7.41   3.36	CARBON FIB
ALTA PRO 3VL 263AVI6 🐠	32.28   820	67.13 / 1705	-	7.28 / 185	26	3	VEO PV-I6	QS-6IP	22.0   10	6.72   3.05	ALUMINUM AL
ALTA PRO 3VL 263CVI6 ໜ	32.28   820	67.13 / 1705	-	7.28 / 185	26	3	VEO PV-I6	QS-6IP	22.0   10	5.94   2.69	CARBON FIB
VEO 3V 303AVI8 🛛 🕬	28.94   735	71.06 / 1805	58.3 / 1480	10.04 / 255	30	3	VEO PV-18	QS-6IP	33.1   15	6.67   3.03	ALUMINUM AL
VEO 3V 303CVI8 🛛 🕬	28.94   735	71.06 / 1805	58.3 / 1480	10.04 / 255	30	3	VEO PV-18	QS-6IP	33.1   15	5.96   2.71	CARBON FIBE
VEO 3V 263AVI6 🛛 🕬	28.74   730	70.47/ 1790	57.2 / 1453	8.94 / 227	26	3	VEO PV-I6	QS-6IP	22.0   10	5.91   2.68	ALUMINUM AL
VEO 3V 263CVI6 🛛 🕬	28.74   730	70,47 / 1790	57.2 / 1453	8.94 / 227	26	3	VEO PV-I6	OS-6IP	22.0   10	5.29   2.40	CARBON FIBE
	31.14   791	69.84   1774	59.6 / 1513	8:46   215	30	3	VEO BH-250S	QS-62V3	55.1   25	6.47   2.94	ALUMINUM AL
VE03+303CBS (111)	31.14   791	69.84   1774	59.6 / 1513	8.46   215	30	3	VEO BH-250S	OS-62V3	55.1   25	5.70   2.59	CARBON FIB
	26.38   670	65.08   1653	54.8 / 1392	8.46   215	30	3	-	-	44.1   20	5.05   2.29	ALUMINUM AL
	26.38   670	65.08   1653	54.8 / 1392	8.46   215	30	3	-	-	44.1   20	4.29   1.95	CARBON FIBI
VE03+263ABI60S	30.47   774	68.46   1739	58,4 / 1484	4.92   125	26	3	VEO BH-I6OS	OS-62V3	33.1   15	5.50   2.50	ALUMINUM AL
VE03+263CBI60S	30,47   774	68.46   1739	58.4 / 1484	4.92   125	26	3	VEO BH-I6OS	OS-62V3	33.1   15	4.79   2.17	CARBON FIB
VE03+263APS	30.71   780	68.31   1735	58.3 / 1480	8.66   220	26	3	VEO PH-38S	OS-74	22.0   10	5.96   2.71	ALUMINUM AL
VE03+263CPS	30.71   780	68.31   1735	58.3 / 1480	8.66   220	26	3	VEO PH-38S	OS-74	22.0   10	5.12   2.32	CARBON FIB
VE03+263AT	26.10   663	64.09   1628	54.1 / 1373	4.92   125	26	3	-	-	33.1   15	4.42   2.01	ALUMINUM AL
VE03+263CT	26.10   663	64.09   1628	54.1 / 1373	4.92   125	26	3	-	-	33.1   15	3.71   1.68	CARBON FIB
VEO3T+264AB	18.9   480	61.42   1560	51.6 / 1310	6.69   170	26	4	VEO BH-160S	OS-62V3	33.1   15	5.41   2.45	ALUMINUM AL
VEO3T+264CB	18.9   480	61.42   1560	51.6 / 1310	6.69   170	26	4	VEO BH-16OS	OS-62V3	33.1   15	5.01   2.27	CARBON FIB
VEO3T+234AB	18.11   460	57.48   1460	48.2 / 1225	6.61   168	23	4	VEO BH-IIOS	OS-62V3	22.0   10	4.83   2.19	ALUMINUM AL
VEO3T+234CB	18.11   460	57.48   1460	48.2 / 1225	6.61   168	23	4	VEO BH-IIOS	QS-62V3	22.0   10	4.36   1.98	CARBON FIB
VE03T+264APS	18.9   480	61.30   1557	51.5 / 1307	8.19   208	26	4	VEO PH-38S	OS-74	22.0   10		ALUMINUM AL
VEO3T+264CPS	18.9   480	61.30   1557	51.5 / 1307	8.19   208	26	4	VEO PH-38S	QS-74	22.0   10	5.34   2.43	CARBON FIB
VE03T+234APS	18.03   458	57.48   1460	47.9 / 1217	7.99   203	23	4	VEO PH-36S	OS-74	13.2   6		ALUMINUM AI
VE03T+234CPS	18.03   458	57.48   1460	47.9 / 1217	7.99   203	23	4	VEO PH-36S	QS-74	13.2   6	4.66   2.12	CARBON FIB
VE03T+264AT	18.9   480	57.09   1450	47.2 / 1200	6.69   170	26	4	-	-	33.1   15		ALUMINUM AI
VEO3T+264CT	18.9   480	57.09   1450	47.2 / 1200	6.69   170	26	4	_	-	33.1   15	3.93   1.78	CARBON FIB
	29.3   745	72.1   1831	58.9 / 1495	10.5   266	30	3	VEO BH-250S	OS-62V3	55.1   25	5.70   2.59	ALUMINUM AI
	29.3   745	72.1   1831	58.9 / 1495	10.5   266	30	3	VEO BH-250S	0S-62V3	55.1   25	4.93   2.24	CARBON FIB
VE03 263AB	29.1   738	70.7   1795	57.7 / 1465	10.4   265	26	3	VEO BH-IGOS	0S-62V3	33.1   15	4.72   2.14	ALUMINUM AI
VE03 263CB	29.1   738	70.7   1795	57.7 / 1465	10.4   265	26	3	VEO BH-IGOS	0S-62V3	33.1   15	4.19   1.90	CARBON FIB
	28.9   735	71.7   1821	58.4 / 1484	10.2   259	30	3	VEO PH-38S	0S-74	22.0   10	5.70   2.59	ALUMINUM AI
	28.9   735	71.7   1821	58.4 / 1484	10.2   259	30	3	VEO PH-38S	0S-74	22.0   10	4.94   2.24	CARBON FIB
VEO3 263APS	29.1   738	70.6   1793	57.6 / 1462	10.2   233	26	3	VEO PH-38S	0S-74	22.0   10	5.11 2.32	ALUMINUM AL
VE03 263CPS	29.1   738	70.6   1793	57.6 / 1462	10.6   270	20	3	VEO PH-38S	0S-74	22.0   10	4.52   2.05	CARBON FIB
		62.4   1585									
VEO3 233APS	26.3   668		50.4 / 1280	9.5   240	23	3	VEO PH-36S	QS-74	13.2 6	4.32   1.96	ALUMINUM AL
VEO3 233CPS	26.3   668	62.4   1585	50.4 / 1280	9.5   240	23	3	VEO PH-36S	QS-74	13.2   6	3.88   1.76	CARBON FIB
VE03 263A0	27.9   708	69.4   1763	56.4 / 1432	9.5   240	26	3	VEO PH-28	QS-7IP	17.6   8		ALUMINUM AL
VE03 263C0	27.9   708	69.4   1763	56.4 / 1432	9.5   240	26	3	VEO PH-28	QS-7IP	17.6   8	4.63   2.10	CARBON FIB
VESTA 233AP	22.91   582	61.02   1550	48.1 / 1221 48.0 / 1220	21.69   551 21.06   535	23	3	PH-23	QS-29	7.7   3.5		ALUMINUM AL
VENT ANALS			/18/11 / 1990	2116 1 535	20	3	PH-23	OS-29	7.7   3.5	244	ALUMINUM AL
VESTA 203AP VESTA 203AGH	22.50   570 22.50   570	61.02   1550	48.2 / 1225	21.65   550	20	3	GH-45	QS-29	7.7   3.5		ALUMINUM AL

MODEL	FOLDED HEIGHT [ inches   mm ]	EXTENDED HEIGHT [ INCHES   MM ]	STANDARD HEIGHT [ inches   mm ]	MINIMUM HEIGHT [ INCHES   MM ]	LEG DIAMETER [ MM ]		HEAD	ouick Shoe	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]	
VEO3T 265HABP	17.3   439	65.4   1660	50.2 / 1275	10.0   255	26	5	VEO BP-120T	QS-72T	26.5   12	4.7   2.11	ALUMINUM A
VE03T265HCBP	17.3   439	65.4   1660	50.2 / 1275	10.0   255	26	5	VEO BP-120T	QS-72T	26.5   12	4.2   1.91	CARBON FIE
VEO3T 235ABP	16.1   410	61.0   1550	45.5 / 1155	9.4   240	23	5	VEO BP-50T	QS-72T	17.6   8	3.9   1.75	ALUMINUM A
VE03T235CBP	16.1   410	61.0   1550	45.5 / 1155	9.4   240	23	5	VEO BP-50T	QS-72T	17.6   8	3.5   1.60	CARBON FI
VEO3T 204ABP	15.9   405	55.1   1400	40.9 / 1040	8.9   225	20	4	VEO BP-45T	QS-72T	8.8   4	3.3   1.49	ALUMINUM A
VE03T204CBP	15.9   405	55.1   1400	40.9 / 1040	8.9   225	20	4	VEO BP-45T	QS-72T	8.8   4	3.0   1.38	CARBON FI
VEO 3GO 265HAB	16.14   410	65.55   1665	49.6 / 1260	9.45   240	26	5	BH-IO2H	QS-60V2	22   10	3.66   1.66	ALUMINUM
VEO 3GO 265HCB	16.14   410	65.55   1665	49.6 / 1260	9.45   240	26	5	BH-IO2H	QS-60V2	22   10	3.12   1.42	CARBON F
VEO 3GO 235AB	12.99   330	53.54   1360	41.7 / 1060	7.87   200	23	5	T-50	QS-65	5	2.70   1.23	ALUMINUM
VEO 3GO 235CB	12.99   330	53.54   1360	41.7 / 1060	7.87   200	23	5	T-50	QS-65	II   5	2.34   1.07	CARBON F
VEO 3GO 204AB	13.63   345	51.57   1310	39.8 / 1010	12.99   330	20	4	T-45	QS-65	6.6   3	2.08   0.95	ALUMINUM
VEO 3GO 204CB	13.63   345	51.57   1310	39.8 / 1010	12.99   330	20	4	T-45	QS-65	6.6   3	1.80   0.82	CARBON F
VESTA TB235AB	14.8   375	56.25   1430	48.6 / 1235	10.63   270	23	5	T-51	QS-65	9.9   4.5	2.65   1.20	ALUMINUM
VESTA TB235CB	14.8   375	56.25   1430	48.6 / 1235	10.63   270	23	5	T-51	QS-65	9.9   4.5	2.27   1.03	CARBON FI
VESTA TB204AB	14.8   375	51.18   1300	41.5 / 1055	12.01   305	20	4	T-46	QS-65	6.6   3	2.06   0.93	ALUMINUM
VESTA TB204CB	14.8   375	51.18   1300	41.5 / 1055	12.01   305	20	4	T-46	QS-65	6.6   3	1.77   0.80	CARBON FI
VEO3TT 233ABP 🛛 💷	9.7   245	22.05   560	19.1 / 486	8.66   220	23	3	VEO BP-50T	QS-72T	17.6   8	2.56   1.16	ALUMINUM
VEO3TT 233CBP 🐠	9.7   245	22.05   560	19.1 / 486	8.66   220	23	3	VEO BP-50T	QS-72T	17.6   8	2.43   1.10	CARBON F
VEO3TT 203ABP 🛛 💷	8.9   225	19.69   500	17.4 / 443	7.87   200	20	3	VEO BP-45T	QS-72T	8.8   4	2.15   0.98	ALUMINUM
VESTA TTI	6.9   175	3.9   100	-	-	-	-	BALL HEAD	-	44   2	0.34   0.15	ALUMINUM
VEO2SAM-234TBP5OT	23.78   604	65.12   1654	-	-	23	4	VEO BP-50T	QS-72T	13.2   6	2.81   1.28	ALUMINUM
VE02SCM-264TBPI20T	24.57   624	68.07   1729	-	-	26	4	VEO BP-I2OT	QS-72T	26.5   12	2.97   1.35	CARBON FI
VEO2SAM-264TR	21.50   545	64.13   1630	-	-	26	4	-	-	33.1   15	1.96   0.89	ALUMINUM /
VE02SCM-264TR	21.50   545	64.13   1630	-	-	26	4	-	-	33.1   15	1.75   0.80	CARBON FI
VE02SAM-234TR	20.50   520	61.00   1550	-	-	23	4	-	-	22   10	1.77   0.81	ALUMINUM

MODEL	LENGTH [ inches   mm ]	WIDTH [ inches   mm ]	HEIGHT [ inches   mm ]	HEAD BASE [ inches   mm ]	QUICK SHOE				MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]
VEO BH-250S 🔇	ew -	-	4.76   121	2.28   58	QS-62V3	-	-91°~35°	360	55   25	1.42   0.64
VEO BH-16OS	-	-	4.37   111	2.28   58	QS-62V3	-	-91°~35°	360	33   15	1.07   0.49
VEO BH-IIOS	-	-	4.13   105	1.97   50	QS-62V3	-	-91°~35°	360	22   10	0.94   0.43
VEO BP-120T	-	3.82   97	4.23   107.5	1.85   47	QS-72T	-	-91°~35°	360	26.4   12	1.2   0.55
VEO BP-50T	-	3.07   78	3.9   99	1.73   44	QS-72T	-	-91°~40°	360	17.6   8	1.0   0.46
VEO BP-45T	-	2.68   68	3.5   89	1.65   42	QS-72T	-	-91°~35°	360	8.8   4	0.87   0.39
VEO PH-38S	8.27   210	7.09   180	4.41   112	2.28   58	QS-74	-91°~30°	-91°~30°	360°	22   10	1.42   0.64
VEO PH-36S	8.07   205	6.97   177	4.37	1.97   50	QS-74	-91°~30°	-91°~30°	360°	13.2   6	1.25   0.57
VEO PV-20 🔇	w 14.37   365	5.71   145	4.02   102	2.28   58	QS-67	-60°~90°	-	360°	13.2   6	2.62   1.19
VEO PV-18 📢	15.94   405	6.02   153	4.13   105	2.28   58	QS-6IP	-45°~90°	-	360°	33.1   15	2.60   1.18

MODEL	FULL EXTENDED HEIGHT [ INCHES   MM ]	WEIGHT [ LBS   KG ]	<b>PAYLOAD</b> [ LBS   KG ]	CENTER COLUMN PLATE DIAMETER [ Inches   MM ]	MODEL	<b>LENGTH</b> [ inches   mm	WIDE 1 [INCHES   MM	HEIGHT ] [INCHES   MM ]	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   G ]	SIZE RANGE [ inches   mm
VEO MT-12	25.6   650	2.26   1.03	22.04   10.00	2.28   58	VEO+MAI	2.3   58	3.3   83	2.7   68	-	0.46   210	
					VEO CSM	-	0.97   24.7	1.1   27.9	6.61   3	0.06   25	
					VEO CSM DL	ζ –	1.22   31	2.24   57	4.41   2	0.19   86.5	
	STANDARD	FOLDED HEIGHT	MAX LOAD	WEIGHT	VEO CSMM2		1.75   44.5	2.0   50.8	4.41   2	0.41   185	
MODEL	HEIGHT [ INCHES   MM ]	[INCHES   MM ]	[LBS   KG ]	[LBS G]	VEO CSMM3		0.87   22	1.14   29	4.41   2	0.19   86	
VEO TSA S	4.53   115	2.5   63.5	441   2	0.22   98.5	VEO TC M	2.13   54	1.85   47	6.02   153	2.2   I	0.66   298	
VEO TSA M	5.98   152			0.23   106	VEO SPH	3.6   91.0	3.1   78	4.3   IIO	I.I   0.5	0.4   181	2.2-3.5 57-
					VEO CP-65	3.3   82.5	0.8   20	3.5   89.0	5.5   2.5	0.4   159	2.6   65
VEO TSA DLX M	7.09   180	4.45   113	6.61   3	0.48   217	VEO CP-46	2.7   68.0	0.8   20	3.3   82.5	3.3   1.5	0.3   132	1.8   46
VEO TSA DLX L	11.42   290	6.57   167	6.61   3	0.59   267	VEO BT-II	1.34   34	0.51   13	2.13   54		0.03   13	
MODEL	LENGTH [ inches   mm ]	WIDTH [ inches   mm ]	BOWL DIAMETER [ inches   mm ]	R HEIGHT [ inches   mm ]	HEAD BASE [ inches   mm ]	QUICK SHOE	FRONTAL TILT °	LATERAL TILT °	SWIVEL°	MAX LOAD [ LBS   KG ]	<b>WEIGHT</b> [ LBS   KG ]
VEO QS-360	4.1   105	2.2   55	-	1.6   40	- (	)S-76/QS-62V3	-	-	360	22   10	0.5   0.24
VEO LVL-60 🔎	3.51   90	-	2.56   65	1.97   50	2.28   58	-	15°~-15°	15°~-15°	360	33   15	0.7   0.32



MODEL	INTERIOR DIMENSIONS [ INCHES   MM ]	EXTERIOR DIMENSIONS [ INCHES   MM ]	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]	FITS DEVICE	LITER SIZE [ L
DIVIDER BAG 53	21 X 15.8 X 6.9   535 X 400 X 175	22 X 16.8 X 7.9   560 X 425 X 200	-	3.64   1.65	-	-
DIVIDER BAG 46	17.5 X 12.9 X 6.9   445 X 325 X 175	18.8 X 13.7 X 7.6   480 X 345 X 195	-	3.00   1.34	-	-
DIVIDER BAG 40	15.5 X 9.6 X 5.9   395 X 245 X 150	17 X 10.9 X 6.8   430 X 275 X 170	-	1.98   0.90	-	-
DIVIDER BAG 37	13.7 X 8.1 X 5.9   345 X 205 X 150	15 X 9.8 X 6.8   380 X 240 X 170	-	1.65   0.75	-	-
UPREME 53F / SUPREME 53D	22 X 17.7 X 7.8   560 X 450 X 200	24.8 X 20.4 X 9.4   630 X 520 X 240	-	23   10.4	-	-
UPREME 46F / SUPREME 46D	18.9 X 14.5 X 7.8   480 X 370 X 200	20.2 X 17.1 X 8.6   515 X 435 X 220	-	15   6.8	-	-
UPREME 40F / SUPREME 40D	16.9 X 11.6 X 6.8   430 X 295 X 175	18.3 X 14.3 X 7.6   465 X 365 X 195	-	9.7   4.4	-	-
SUPREME 37F / SUPREME 37D	16.3 X 10.2 X 6.8   380 X 260 X 175	16.3 X 9.2 X 7.6   415 X 325 X 195	-	8.6   3.9	-	-
SUPREME 27F / SUPREME 27D	II X 9.8 X 6.6   250 X I90 X I50	II X 9.8 X 6.6   280 X 250 X 170	-	4.19   1.9	-	-
VESTA ASPIRE 41	8.9 X 5.9 X 16.1   225 X 150 X 410	IO X 8.7 X I8.3   255 X 220 X 465	II.0   5	1.70   0.77	9.7" TABLET	-
VESTA ASPIRE 25	10.2 X 6.7 X 8.3   260 X 170 X 210	11.4 X 8.1 X 10   290 X 205 X 255	9.9   4.5	1.06   0.48	9" TABLET	-
VESTA ASPIRE 21	8.7 X 5.3 X 7.7   220 X 135 X 195	9.8 X 6.5 X 8.7   250 X 165 X 220	5.1   2.3	0.73   0.33	-	-
VESTA ASPIRE 15	6.3 X 4.5 X 5.9   160 X 115 X 150	7.0 X 5.9 X 7.9   180 X 150 X 200	3.3   1.5	0.48   0.22	-	-
VESTA ASPIRE 15Z	5.9 X 4.9 X 7.9   150 X 125 X 200	6.9 X 5.7 X 9.4   175 X 145 X 240	4.9   2.2	0.51   0.23	-	-
ALTA ACTION 60	23.6 X 5.5 X 3.8   600 X 140 X 100	24.2 X 5.8 X 4.3   615 X 150X 110	6.6   3	0.66   0.30	-	-
ALTA ACTION 70	27.5 X 6.7 X 5.1   700 X 170 X 130	28.I X 7.I X 5.5   715 X 180 X 140	7.7   3.5	0.77   0.35	-	-
ALTA ACTION 80	31.5 X 6.7 X 5.1   800 X 170 X 130	32.I X 7.I X 5.5   8I5 X I80 X I40	8.8   4.0	0.84   0.38	-	-

MODEL		OBJECTIVE LENS [ MM ]	FIELD OF VIEW [ ft/1000 yds   m/1000 m ]	NEAR FOCUS [FEET   M]	EYE RELIEF	ADJUST. PUPILLARY [ MM ]	WEIGHT [ oz   g ]
ENDEAVOR HD 82A	20-60 X	82	110-52   37-17	19.7-21.3   6-6.5	19-20	-	63.85   1810
ENDEAVOR HD 65A	15-45 X	65	144-68   48-23	14.8-18   4.5-5.5	19-20	-	51.15   1451
ENDEAVOR XF 80A	20-60 X	80	110-52   37-17	19.7~21.3   6~6.5	19-20	-	59.3   1680
ENDEAVOR XF 60A	15-45 X	60	141-68   47-23	16.4~19.7   5~6	19-20	-	45.1   1280
VEO HD 80A	20~60 X	80	110-52   37-17	19.7-21.3   6-6.5	19-20	-	54.7   1550
VEO HD 60A	15~45 X	60	141-68   47-23	16.4-19.7   5-6	19-20	-	42.5   1205
VESTA 560A	15-45X	60	34.8 - 20.9   104.4 - 62.6	8 - 9   26.3 - 29.5	16-21	-	45.7   1293
VESTA 460A	15-50X	60	41.7 - 19.1   125.3 - 57.4	10 - 12   32.8 - 39.4		-	21.5   609
VESTA 350A	12-45X	50	52.2 - 17.4   156.6 - 52.2	9 - 12   29.5 - 39.4		-	21.2   600
VEO HD IV 1042	10 X	42	340   114	5.9   1.8	19	56-74	27.7   786
VEO HD IV 8420	8 X	42	377   126	5.9   1.8	19	56-74	27.7   786
VEO HD2 1042	10 X	42	340   114	6.6   2.0	18	58-74	25   710
VEO HD2 8420	8 X	42	377   126	6.6   2.0	19	58-74	25   710
VEO HD 1042	10 X	42	342   114	6.6   2.0	18	58-74	27.1   767
VEO HD 8420	8 X	42	372   124	6.6   2.0	19	58-74	26.8   760
VEO ED 1250	12 X	50	251   84	11.5   3.5	18	60~75	26.8   760
VEO ED 1250	10 X	50	282   94	9.8   3	19	59.5~75	27.6   782
VEO ED 1042	10 X	42	314   105	9.2   2.8	16	55~75	22.6   640
VEO ED 8420	8 X	42	330   110	8.2   2.5	19	55~75	22.6   640
VEO XF 1042 🛯 🕬	10 X	42	332   111	6.9   2.1	16	57-74	22.6   640
VEO XF 8420 🛛 💷	8 X	42	409   136	6.9   2.1	20	57-74	23.3   660
VESTA 1042	10 X	42	298   100	6.9   2.1	17	56-74	20.8   590
VESTA 8420	8 X	42	325   108	6.9   2.1	19	56-74	21.5   610
VESTA IO25	10 X	25	330   110	8.2   2.5	10	56-74	9.88   280
VESTA 8250	8 X	25	340   114	8.2   2.5	12.5	56-74	9.88   280
VESTA 8210	8 X	21	123.5   370.6	4   13.2	10	56.5-72	6.88   195
VESTA 1021	10 X	21	100.9  302.7	4   13.2	8	56.5-72	6.88   195
VE0 HD 2 1042M	10 X	42	342   114	6.5   2.0	18	-	11.5   325
VEO ED 8420M	8X	42	324   108	8.2   2.5	19	-	10.6   300
VESTA 8320M	8X	32	393.2   131	6.56   2.0	17.7	-	9.24   262

2	MODEL	STRAP LENGTH [Inches   MM ]	STRAP WIDTH [inches   mm ]	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   G ]
A.	VEO OPTIC GUARD H	-	1.0   25	2.2   1.0	0.31   140
5	VEO OPTIC GUARD H DLX	-	1.0   25	5.5   2.5	0.53   240
	VEO OPTIC GUARD WS	-	1.0   25	4.0   1.8	0.09   40
Ъ.	VEO OPTIC GUARD NS	33-43   838-1092	1.0   25	5.5   2.5	0.26   120

$\sim$	MODEL	INTERIOR DIMENSIONS [ INC	CHES   MM ] EXTERIOR DIMENS	IONS [ INCHES   MM ]	MAX LOAD [ LBS   KG ]	WEIGHT [ LBS   KG ]	FITS DEVICE	LITER SIZE [ L ]
5	ALTA SKY 68	13.4 X 7.1 X 22.9   340 X 18			35.3   16.0	6.5   2.9	II" TABLET   16" LAPTOP	36
	ALTA SKY 66	10.2 X 9.4 X 24   260 X 24			23.1   10.5	5.5   2.5	II" TABLET	30
<b></b>	ALTA SKY 53	12.6 X 7.8 X 20.8   320 X 2			35.2   16.0	6.2   2.8	17" LAPTOP	34
	ALTA SKY 5ID	12.6 X 7.8 X 20   320 X 20		370 X 260 X 565	29.7   13.5	6.4   2.9	I5" LAPTOP	32
	ALTA SKY 45D	10.2 X 7.5 X 17.7   260 X 19		310 X 230 X 495	19.8   9.0	4.8   2.2	I3"LAPTOP	22
	VEO ACTIVE 53	12.2 X 7.1 X 20.9   310 X 18	•	330 X 250 X 550	44.1   20	6.52   2.96	IO" TABLET   I6" LAPTOP	45
	VEO ACTIVE 49	12.2 X 7.1 X 19.3   310 X 18		-	35.3   16	6.22   2.82	IO" TABLET   15" LAPTOP	35
	VEO ACTIVE 46	10.6 X 6.3 X 18.1   270 X 18		290 X 230 X 475	24.2	5.60   2.54	IO" TABLET   14" LAPTOP	25
	VEO ACTIVE 42M	9.8 X 5.9 X 17.7   250 X 15	50 X 420 IO.6 X 7.5 X 17.3	270 X 190 X 440	18.7   8.5	4.32   1.96	IO" TABLET   13" LAPTOP	17
	VEO SELECT 59T	13 X 6.8 X 18.5   330 X 17	70 X 470 I4.2 X 8.7 X 2I.5	360 X 220 X 545	33.1   15	9.22   4.18	II" TABLET   17"LAPTOP	26
	VEO SELECT 58T	.8 X 6.9 X  8.5   300 X	75 X 470 I 4.2 X I 0.2 X 24	360 X 260 X 610	33.1   15	11.24   5.10	II" TABLET   16"LAPTOP	26
	VEO SELECT 55BT	12.3 X 6.3 X 17.5   310 X 16	60 X 445 I4.2 X 8.2 X 22.1	360 X 220 X 560	27.6   12.5	9.52   4.32	II" TABLET   15"LAPTOP	22
	VEO SELECT 42T	14.6 X 6.3 X 13   370 X 16	60 X 330 I6.5 X 9.9 X 17.9	420 X 250 X 455	26.5   12	8.55   3.88	II" TABLET   15"LAPTOP	20
	VEO SELECT 48BF	II.8 X 6.5 X I8.9   300 X I	65 X 480 I3.3 X 9.6 X 20.5	335 X 245 X 520	25.57   11.6	4.28   1.94	II" TABLET   15" LAPTOP	24
	VEO SELECT 45BFM	10.6 X 5.1 X 16.9   270 X 13	30 X 430 II.8 X 8.3 X I8.3	300 X 210 X 465	19.18   8.7	3.26   1.48	II"TABLET	15
	VEO SELECT46BR	9.9 X 5.9 X 18.1   250 X 18	50 X 460 II.O X 8.3 X I8.7	280 X 210 X 475	19.8   9.0	3.04   1.38	13" LAPTOP	17
	VEO SELECT37BRM	10.0 X 4 .5 X 14.6   255 X	II5 X 370 II.O X 6.9 X I5.4	280 X 175 X 390	9.3   4.2	2.38   1.08	II" TABLET	
	VEO SELECT 49	11.3 X 4.9 X 19.2   290 X 12	25 X 490   13.3 X 8.1 X 19.9	340 X 205 X 505	20.28   9.2	3.66   1.66	15" LAPTOP	18
	VEO SELECT 45M	10.9 X 4.4 X 17.7   275 X 11	IO X 450 I 2.6 X 7.5 X I8.1	320 X 190 X 460	17.19   7.8	3.33   1.51	15" LAPTOP	14
	VEO SELECT 4I	10.9 X 4.9 X 16.1   275 X 1	25 X 410 I 2.6 X 8.1 X 16.5	320 X 205 X 420	11.9   5.4	3.37   1.53	13" LAPTOP	14
	VEO SELECT 43RB	9 X 4.9 X 16.5   230 X 12	5 X 420 I2.3 X 8.I X I8.5	310 X 205 X 470	16.5   7.5	2.76   1.25	II" TABLET	12
	VEO SELECT 39RBM	8.3 X 4 X 15   210 X 100	-	270 X I70 X 430	9.3   4.2	2.36   1.07	II" TABLET	8
	VEO SELECT 36S	14.6 X 6.9 X 9.0   370 X 1	75 X 230 I5.8 X 9.9 X II.4	400 X 250 X 290	24.2   11	3.70   1.68	13"LAPTOP	15
	VEO SELECT 28S	II.0 X 6.5 X 9.0   280 X I6	65 X 230 I2.8 X 9.0 X II.0	325 X 230 X 280	15.4   7	3.06   1.39	II" TABLET	
	VEO SELECT 22S	9.3 X 4.8 X 7.3   235 X 12			6.6   3	1.68   0.76	7.9" TABLET	5
	VEO CITY CB 34 🖤	II.4-I3 X 3.9 X 9.3   290-330		350 X 145 X 250	18.7   8.5	2.25   1.02	I2.9" TABLET	8
		10.3-11.4 X 3.5 X 7.9   260-290		310 X 135 X 215	11.0   5	1.81   0.82	8.3" TABLET	6
		8.6-9.5 X 3.1 X 5.8   220-240			5.5   2.5	1.28   0.58		3
	VEO CITY TP 33	13.4 X 3.8 X 9.9   340 X 9		360 X 165 X 270	17.6   8	2.60   1.18	12.9" TABLET   13" LAPTOP	
	VEO CITY TP 28 🖤	II X 34 X 6.8   280 X 85 9 X 34 X 5.5   230 X 85	-	300 X 120 X 195 250 X 120 X 160	6.6   3	1.54   0.70	8.3" TABLET	2.5
	VEO RANGE T48	II.8 X 7.5 X I8.9   300 X I	•	325 X 250 X 500	25.4   11.5	4.80   2.18	15.6″LAPTOP	27
	VEO RANGE T45M	II.O X 5.I X I7.8   280 X I3			22.0   10	4.14   1.88	13.4″LAPTOP	
	VEO RANGE T37M	10.0 X 4.5 X 14.6   255 X	•		15.4   7.0	3.02   1.37	II″LAPTOP	
	VEO RANGE 38	15.1 X 5.7 X 11.7   385 X 14	-	430 X 210 X 340	15.9   7.2	2.64   1.20	15" LAPTOP	
	VED RANGE 32M	12.6 X 5.3 X 9.1   320 X 13	•	360 X 165 X 250	12.1   5.5	1.85   0.84	I2.9"TABLET	 10
	VEO RANGE 2IM	9.2 X 44 X 7.5   235 X II	-	270 X 160 X 220	6.2   2.8	1.06   0.48	7.9"TABLET	5
	VEO ADAPTOR R48	10.3 X 6.3 X 18.0   260 X 1		290 X 220 X 490	25.4   11.5	3.22   1.46	16"MAC BOOK	20
	VEO ADAPTOR R44	8.6 X 6.3 X 16.9   220 X 16	60 X 430 IO.3 X 8.6 X 17.8	260 X 220 X 450	19.8   9.0	2.78   1.26	13"MAC BOOK	16
	VEO ADAPTOR S46	9.5 X 6.3 X 17.8   240 X 16	GO X 450 IO.6 X 8.8 X 18.3	270 X 220 X 465	18.7   8.5	3.02   1.37	15"MAC BOOK	18
	VEO ADAPTOR S4I	7.9 X 5.9 X I6.I   200 X I	50 X 4IO 9.5 X 8.3 X I6.5	240 X 210 X 420	11.5   5.2	2.53   1.15	IO"IPAD	12
	VEO ADAPTOR 24M	8.9 X 4.5 X 6.3   225 X I	I5 X I6O 9.8X 5.9 X 9.1	250 X I50 X 230	25.4   11.5	0.97   0.44	8" TABLET	4.1
	VEO ADAPTOR I5M	7.1 X 4.1 X 5.9   180 X 10	5 X I50 8.3 X 5.3 X 8.7	210 X 135 X 220	19.8   9.0	0.71   0.32	-	2.8
	VEO GO 46M	10.4 X 4.1 X 18.1   265 X 1	105 X 460 11.4 X 5.5 X 18.5	290 X 140 X 470	15.9   7.2	2.20   1.00	13" LAPTOP	13
	VEO GO 42M	9.6 X 3.8 X 16.5   245 X	95 X 420 IO.3 X 5.I X I6.9	260 X I30 X 430	8.8   4.0	1.98   0.90	II" TABLET	9.8
	VEO GO 34M	13.4 X 4.1 X 9.0   340 X	105 X 230 14.0 X 5.1 X 9.9	355 X I30 X 250	11.5   5.2	1.54   0.70	II" TABLET	8.2
	VEO GO 24M	8.8 X 4.1 X 6.2   225 X I	105 X 160 9.5 X 4.8 X 7.1	240 X 125 X 180	6.6   3.0	0.75   0.34	-	3.8
	VEO GO 2IM	8.3 X 4.1 X 7.5   210 X 10	05 X 190 10.6 X 5.8 X 8.3	270 X 145 X 210	6.2   2.8	0.93   0.421	7.9" TABLET	4.2
	VEO GO I5M	7.1 X 4.1 X 6.2   180 X 1	•	195 X 125 X 180	3.3   1.5	0.68   0.31	-	3.0
	VEO BIB T25	9.8 X 4.3 X 7.5   250 X III		275 X 140 X 210	7.1   3.2	1.15   0.52	-	5.2
	VEO BIB T22	8.7 X 3.9 X 6.3   220 X 10	•	250 X 130 X 185	6.2   2.8	0.88   0.40	-	3.5
	VEO BIB TI8	7.1 X 3.9 X 5.5   180 X 100			44   2.0	0.71   0.32	-	2.5
	VEO BIB F36	II.O X 6.3 X I5.0   280 X I6		320 X 195 X 410	16.5   7.5	2.29   1.04	II" TABLET	
	VEO BIB F33	11.0 X 6.3 X 11.0   280 X 16	-	315 X 195 X 315	13.2   6	1.90   0.86	II" TABLET	
	VEO BIB F28	II.0 X 6.3 X 7.1   280 X 16		315 X 195 X 235	9.9   4.5	1.50   0.68	7" TABLET	
	VEO BIB F27	8.3 X 4.3 X II.0   210 X II0		240 X 145 X 315	8.4   3.8	1.19   0.54	7" TABLET	6.5
	VEO BIB DIVIDER S53	21.1 X 6.9 X 15.7   535 X 17		560 X 220 X 435	29.8   13.5	6.70   3.04	15" LAPTOP	
	VEO BIB DIVIDER S46	17.5 X 6.9 X 12.8   445 X 17		480 X 215 X 355	24.2   11.0	2 02   170	13" LAPTOP	
	VEO BIB DIVIDER S40	15.6 X 5.9 X 9.6   395 X 15		435 X 190 X 275	19.2   8.7	3.92   1.78	II" TABLET	
	VEO BIB DIVIDER S37	13.6 X 5.9 X 8.1   345 X 15	U A 2UU 104 A 7.0 A 9.8	390 X 190 X 250	13.7   6.2	3.13   1.42	7" TABLET	



WWW.VANGUARDWORLD.COM